



VOGUE UK

TOWEL WARMERS & RADIATORS





VOGUE UK

TOWEL WARMERS & RADIATORS

EST | 1990

Welcome to Vogue UK – the country's leading manufacturer of heated towel warmers, designer radiators and accessories. Established in 1990 within the heart of the West Midlands, and still privately owned by its original founders, Vogue UK continues to design and create more products than any other company in this field, constantly leading the trend by combining fashion with functionality.

Everyone has their own sense of style and that's why Vogue UK has created a range of quintessential products that meet the needs of every interior design style. If you require something unique then our craftsmen can create a design to your exact brief.

As Vogue UK have been creating towel warmers and designer radiators since 1990 the company has built an extensive portfolio of designs and can offer a bespoke service, ideal if you're looking to create an authentic period look or simply match an existing design.

Our seven categories of products in this brochure and on our website are sure to encompass the perfect design for you...no matter what shape, style or size you're looking for.





*Fashion and
functionality,
beautiful crafted*

From contemporary to traditional

We've been at the forefront of towel rail and radiator design for 30 years. It's easy to see why.

We work with some of the UK's leading interior designers who create a range that's unlike anything else. Full of inspiration and innovative design in stunning colours and finishes, we turn heating your room into a style statement.

Plus because we know every home is unique in so many ways, we've created a range that reflects the style and personality of our homes today. From timeless classics, expertly engineered for modern life, to cutting edge contemporary design that gives a glimpse of the future - whatever your style you'll find the perfect one for you.

Contemporary	10 - 65
Ladder rails	66 - 83
Traditional	84 - 117
Designer radiators	118 - 139
Electric radiators	140 - 151
Additions	152 - 161
Bespoke service	162 - 164

BE SPOKE

| Designed around you

We know one size, one colour or even one style doesn't fit all. It's why we offer three levels of our bespoke design and manufacture service.

Customise our collection

If you like what you see, but it doesn't fit your exact requirements, no problem. You can customise your towel rail or radiator dimensions, materials and finishes.

See your design come to life

We can work from any design specification and handcraft special products from high quality brass, stainless steel or mild steel. Our team will offer technical advice to ensure your design not only looks amazing, but performs too.



Bespoke colours

From bright bold gloss colours to soft, relaxing muted tones. Shimmering metallic finishes to hardwearing crackle paints, we have the right colour for your home.

Page 162

Joints

When creating a stylish towel rail or radiator the joint details can make all the difference. We have 15 different designs to choose from, all expertly handcrafted by us.

Page 164

Fully commissioned project work with our team of designers and engineers in this collaborative design process to create exactly what you are looking for. We'll bring your vision to life and manufacture your bespoke towel rail or radiator.

*Designs created
with care, precision
and passion*



Valves & Accessories

Simple and stylish to ornate, time-honoured designs, we have a range of valves & accessories that add the perfect finishing touch to your creation.

Pages 158 - 161

Tubing

Simple, smooth and round to hexagonal and embellished options. We have lots of styles to choose from. So, pick your tubing and put your individual stamp on your design.

Page 164



VOGUE UK

TOWEL WARMERS & RADIATORS

The evolution of the heated towel warmer stretches way back into the 1800's. In 1834 a man named Denison Olmstead of New Haven, Connecticut created a heat exchanger for his stove which he described as a 'peculiar kind of apparatus, which I call a radiator'. However, it wasn't until 1855, Franz San Galli of St. Petersburg invented the heating radiator.

So the journey began... the radiator became more popular and spread to every room in the home. Once heating reached the bathroom it became unrealistic for towels to dry and pile-up on the radiator and so, the inevitable arrival of the towel warmer came to pass.

The 1920's saw the first of the cast iron water heated towel warmers, commonly referred to as a 'bath radiator'. Here in the UK, drying racks, heated towel warmers and heated towel bars were seen as luxury items and would only ever be found in homes and hotels of high upstanding social status.

As time passed, new materials became available and our abilities to manipulate and manufacture these materials grew. Materials such as copper, brass, mild steel and stainless steel helped to propel the industry forward.

Arriving in the present day and now we have yet more advancement brought to you by Vogue UK, who for 30 years have been manufacturing and innovating many styles and designs into the towel warmer arena.

Brass Manufacture

BR

DZR Brass

The highest quality brass available in a finish of your choice. Corrosion resistant and provides a superior plated finish.

30

30 year quality assurance guarantee

On our brass products showing this symbol.

H

Heating and Hot Water

Suitable for all heating and hot water systems.

Stainless Steel Manufacture

SS

Stainless Steel

Giving an easy to clean finish that is resistant to corrosion and has a high heat output.

30

30 year quality assurance guarantee

On our stainless steel products showing this symbol.

H

Heating and Hot Water

Suitable for all heating and hot water systems.

Mild Steel Manufacture

MS

Mild Steel

Quality mild steel available in chrome and painted finishes suitable for indirect/closed heating systems.

15

15 year quality assurance guarantee

On mild steel products showing this symbol.

C

Heating only

Suitable for closed indirect heating systems.

Aluminium Manufacture

AL

Aluminium

Providing a quick heat up time thus allowing for greater efficiency with a low water content.

30

30 year quality assurance guarantee

On our aluminium products showing this symbol.

H

Heating and Hot Water

Suitable for all heating and hot water systems.

Additional Requirements

E

Electric only

Can be specified where this symbol is displayed. Please see page 156 for full range and price supplements.

DL

Electric Dryline

Can be specified where this symbol is displayed. Dryline technology, heating via a heater cable. POA

D

Heating and Electric

Can be specified where this symbol is displayed. Please see page 156 for full range and price supplements.

2

2 year quality assurance guarantee

On our products showing this symbol.



RAL colours

Available in RAL colour Chart options, where this symbol is displayed. Please see page 162 for colour options and price supplement.

Stock Information



Stocked item

The 'Tick' symbol in the product specification tables denotes a stocked item.



Made-to-order

The 'Handprint' symbol in the product specification tables denotes a made to order product.



Image showing our Aquila DR016
See page 42



Contemporary

Clean lines, stunning finishes, and amazingly practical too. Make a statement with our range of contemporary designs that are leading the way in modern towel rail and radiator innovation.

Concertina

Wall Mounted DR010

Concertina is a beautiful iconic rail. Towels slide easily in from the side and can be left or right hand mounted. Manufactured from high quality mild steel. Prices shown are for chrome finished for central heating models.



- MS
- 15
- C
- D
- E

For electric element & valve options see pages 156 & 160



VL003

Concertina

Tube diameter Ø 19 + 32mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
DR010	1000	500	111	12	75	150	226 / 771	978	265.00	318.00	✓
DR010	1000	600	111	12	75	200	311 / 1061	1345	314.00	376.80	✓
DR010	1200	500	111	14	75	200	383 / 1307	1657	336.00	403.20	✓
DR010	1200	600	111	14	75	300	423 / 1443	1830	401.00	481.20	✓

The Marine's innovative design is a focal point for any bathroom. The looped horizontal rails maximise both heat output and hanging space. Manufactured from high quality mild steel. Prices shown are for chrome finished for central heating models.

Marine

Wall Mounted DR009



For electric element & valve options see pages 156 & 160

Marine											
Tube diameter Ø 19 + 32mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
DR009	1400	600	177	25	110	400	767 / 2617	3318	543.00	651.60	✓

Cygnus

Wall Mounted DR012

Cygnus is handsome and highly practical. The looped horizontal rails maximise both heat output and hanging space. Finished in chrome. Manufactured from high quality mild steel. Prices shown are chrome finish for central heating models.



Mild Steel Metallic Finish Supplements
 Gold - POA
 Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

- MS
- 15
- C
- D
- E



For electric element & valve options see pages 156 & 160

Tube diameter Ø 19 + 32mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
DR012	900	500	170	4-4-10	300	150	417 / 1423	1804	264.00	316.80	✓
DR012	1200	500	170	4-4-4-11	300	200	556 / 1897	2405	320.00	384.00	✓

A unique looped rail encompassing a vertical contemporary radiator adds a beautifully smooth and contemporary feel to any space. The coiled bars bring an intricacy whilst providing abundant towel hanging space.

Cygnus Harmonique

Wall Mounted DR032



Manufactured from high quality mild steel. Prices shown are chrome finish for central heating models.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



VL003

Cygnus Harmonique

Tube diameter Ø 19 + 32mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
DR032	1200	500	159-174	23	300	400	908 / 3098	3928	699.00	838.80	✓

Draco

Wall Mounted DR015

Draco's equally spaced hooped tubes form an architectural shape. Perfect symmetry with centralised valves. Finished in chrome, a must for any modern setting. Manufactured from high quality mild steel. Prices shown are chrome finish for central heating models.



MS 15 C D E

For electric element & valve options see pages 156 & 160



VL014

Draco

Tube diameter		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output $\Delta T 50^{\circ}\text{C}$ Watts/BTU's	Output $\Delta T 60^{\circ}\text{C}$ BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
\varnothing 19mm	30 x 30mm	H	W	D								
DR015		1000	500	160	9	86	125	236 / 805	1021	375.00	450.00	✓
DR015		1300	500	160	13	86	150	272 / 928	1177	397.00	476.40	✓

The devil is always in the detail... Sesto Rondo's handsome curves and elegant straight lines are designed to maximise hanging space. Brass manufactured with a chrome finish as standard.

Sesto Rondo III

Wall Mounted MD021



Bespoke finishes are available at an additional cost. Please see pages 162 & 163 for finishes and colour options.

- BR
- 30
- H
- D
- E
-

For electric element & valve options see pages 156 & 160

VL003

Sesto Rondo III

	Tube diameter Ø 31.8 + 15mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
		H	W	D								
MD021		820	507	167	21	475	150	339 / 1157	1467	1086.00	1303.20	

Flexx

Wall Mounted CN015

Flexx is sensual and curvaceous. This handcrafted towel rail is an original design, with all the functionality a fabulous towel rail must have. Manufactured by craftsmen in high quality brass tube, chromed to a mirror finish.



Image showing Polished Brass finish

Please note: Electric and dual energy versions come with a straight bottom bar.

Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for all heating and hot water systems.

BR

30


H

D

E

For electric element & valve options see pages 156 & 160


VL003

Flexx												
Tube diameter		Dimensions (mm)			Bar Config	End to End connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø	31.8 + 50.8mm	H	W	D								
CN015		1240	540	250	15	540	300	642 / 2191	2778	2213.00	2655.60	

When space is limited... You still want good design and high heat output, the Intrra ticks all the boxes. The towel rail fits neatly into a corner to maximise wall space and is available in two sizes. Manufactured from large diameter brass or mild steel tube.

Intrra

Wall Mounted CN013



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT

£213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT

£298.80 inc VAT

Bespoke finishes are available at an additional cost. Please see pages 162 & 163 for finishes and colour options.

Prices shown are chrome finished for central heating systems.



For electric element & valve options see pages 156 & 160



Intrra - BR

Tube diameter	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output $\Delta T 50^{\circ}\text{C}$ Watts/BTU's	Output $\Delta T 60^{\circ}\text{C}$ BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
$\varnothing 31.8 + 50.8\text{mm}$	H	W	D								
CN013	1240	500	350	5-5-5	325 + 475	200	607 / 2071	2626	1659.00	1990.80	👉
CN013	1680	500	350	5-5-5-5	325 + 475	300	814 / 2777	3521	2147.00	2576.40	👉



Intrra - MS

Tube diameter	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output $\Delta T 50^{\circ}\text{C}$ Watts/BTU's	Output $\Delta T 60^{\circ}\text{C}$ BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
$\varnothing 31.8 + 50.8\text{mm}$	H	W	D								
CN013-MS	1240	556	306	5-5-5	281 + 531	200	525 / 1791	2271	399.00	478.80	✓
CN013-MS	1680	556	306	5-5-5-5	281 + 531	300	703 / 2399	3042	484.00	580.80	✓

Grace

Wall Mounted MD067

Understated with great towel hanging functionality, Grace is the epitome of simple chic design. Manufactured from large diameter high quality mild steel. Prices shown are chrome finished for central heating models.



For electric element & valve options see pages 156 & 160



VL003

Grace

Tube diameter Ø 38mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD067	800	500	100	3	462	100	140 / 478	606	179.00	214.80	✓
MD067	1200	500	100	4	462	125	199 / 679	861	200.00	240.00	✓

A simple yet sophisticated piece. With chunky tube creating a robust and full bodied appeal, the Mantra V will add a high quality and classy statement to your bathroom or en suite. Chromed to a mirror finish. Prices shown are chrome finished for all heating and hot water systems.

Mantra V

Wall Mounted CN075



- MS

15

C

D

E

For electric element & valve options see pages 156 & 160

VL003

Tube diameter Ø 32 + 51mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
CN075	1240	500	125	14	449	200	408 / 1392	1765	395.00	474.00	✓

Pure

Wall Mounted MD037

Pure high quality elegance. This handcrafted towel rail is manufactured in brass and chromed to a mirror finish. Bespoke finishes are available at an additional cost. A perfect size for smaller areas where space is at a premium and quality a must.



Image showing Antique Bronze finish

Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for heating and hot water systems.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160



Pure	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	Tube diameter Ø 25.4 + 19mm	H	W								
MD037		700	425	75	4	400	75	106 / 362	459	543.00	651.60



A contemporary chrome oval tube towel warmer that can be left or right hand mounted. Manufactured from mild steel, suitable for closed heating systems and with a 15 year guarantee.

Amie

Wall Mounted CN065



Mild Steel Metallic Finish
Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT
- £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT
- £298.80 inc VAT

Please see pages 162 & 163 for finishes and colour options. Prices shown are for chrome finished central heating models.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



Amie		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Tube diameter		H	W	D								
30 x 30 Sq + 25 x 50 Oval												
CN065		1200	500	125-137	9	80	200	237 / 807	1020	312.00	374.40	✓

Chic

Wall Mounted MD046

Chic gives ultimate versatility allowing towels to be accessed from the side. This practical and stylish design is available chrome plated or in white. Manufactured from high quality mild steel which can be mounted to the left or right.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

Prices shown are chrome or white finished for central heating models.



For electric element & valve options see pages 156 & 160



VL014

Chic

Tube diameter		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C Watts		Price £		Price £		Stock or made to order
22mm	30mm	H	W	D				Chrome	White	Chrome	White	(ex VAT)	(inc VAT)	(ex VAT)	(inc VAT)	
MD046		1200	500	85	3-3-3-3-3	100	150	282 / 962	377 / 1286	1220	1631	246.00	295.20	167.00	200.40	✓

A contemporary, minimalist design with crisp clean lines. Keys II allows towels to be effortlessly hung onto the rails from the left or right hand side, depending on your requirements. Manufactured from high quality mild steel, chromed to a mirror finish.

Keys II

Wall Mounted CN030



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

Prices shown are for central heating models. Stainless Steel version available on request

MS

15

C

D

E

For electric element & valve options see pages 156 & 160

VL014


Keys II

Tube diameter 	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
30sq + 40sq mm											
CN030	1080	500	141	6	50	150	392 / 1338	1697	348.00	417.60	✓
CN030	1460	500	141	8	50	200	524 / 1788	2267	461.00	553.20	✓
CN030	1840	500	141	10	50	300	656 / 2238	2838	551.00	661.20	✓

Smooth

Wall Mounted CN035

Smooth combines excellent towel hanging space with high heat output and eye catching design. Manufactured from high quality mild steel. Prices shown are chrome finished for central heating systems models.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT



For electric element & valve options see pages 156 & 160



Smooth

Tube diameter Ø 32 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
CN035	800	400	94	9	368	100	163 / 556	705	326.00	391.20	✓
CN035	800	500	94	9	468	125	189 / 645	818	336.00	403.20	✓
CN035	1200	400	94	13	368	150	235 / 802	1017	410.00	492.00	✓
CN035	1200	500	94	13	468	150	271 / 925	1173	425.00	510.00	✓

Smooth II is modern and stylish, featuring 38mm vertical tubes. Manufactured from high quality mild steel with mitred corners. Prices shown are chrome finished for central heating systems.

Smooth II

Wall Mounted CN036



Mild Steel Metallic Finish Supplements
Gold - POA
Bright Nickel - Chrome + £178.00 ex VAT
£213.60 inc VAT
Brushed Nickel - Chrome + £249.00 ex VAT
£298.80 inc VAT

MS 15 C D E

For electric element & valve options see pages 156 & 160



Smooth II

Tube diameter Ø 38 + 32mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
CN036	800	400	96	8	368	125	206 / 703	891	348.00	417.60	✓
CN036	800	500	96	8	468	150	237 / 809	1026	364.00	436.80	✓
CN036	1200	400	96	11	368	200	292 / 996	1263	434.00	520.80	✓
CN036	1200	500	96	11	468	200	335 / 1143	1449	456.00	547.20	✓

Zenith

Wall Mounted IN007

Zenith is manufactured in stainless steel and has a brushed or polished finish, suitable for all heating & hot water systems. Please see page 162 for colour options



SS

30

H

D

E

For electric element & valve options see pages 156 & 160



Zenith

Tube diameter 40sq + 30sqmm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Brushed or Polished	Price £ (inc VAT) Brushed or Polished	Stock or made to order
	H	W	D								
IN007	1200	400	90	6	360	125	421 / 1436	1821	1221.00	1465.20	

Moda is manufactured from high quality mild steel and finished in polished chrome with a white integral radiator. Please see pages 162 & 163 for finishes and colour options.

Moda

Wall Mounted CN001



Mild Steel Metallic Finish Supplements
Gold - POA
Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT
Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



Moda		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output $\Delta T50^{\circ}C$ Watts/BTU's	Output $\Delta T60^{\circ}C$ BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Tube diameter		H	W	D								
40sq + 40 x 20mm												
CN001		1200	500	150	5	310	300	787 / 2685	3405	1556.00	1867.20	

Vista

Wall Mounted IN002

Vista is sculptural with beautifully finished tactile edges. Manufactured from stainless steel and has a brushed or polished finish. Available in three lengths from 500mm, ideal for ensuites to 1500mm, perfect above a bath.



Stainless steel suitable for all hot water systems. Please see page 162 for colour options



For electric element & valve options see pages 156 & 160



Vista

Tube diameter 40sq mm	Dimensions (mm)			Bar Config	End to End connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
	H	W	D						Brushed or Polished	Brushed or Polished	
IN002A	140	500	90	2	500	75	118 / 403	511	848.00	1017.60	Hand icon
IN002B	140	1000	90	2	1000	100	223 / 761	965	938.00	1125.60	Hand icon
IN002C	140	1500	90	2	1500	125	328 / 1119	1419	1015.00	1218.00	Hand icon

Simple and beautiful, this design comes in three different widths, the 500mm shortest width is perfect for areas where space is at a premium. Manufactured from high quality mild steel, chromed to a mirror finish.

Memo

Wall Mounted CN007



Prices shown are chrome finished for central heating models. Please see pages 162 & 163 for finishes and colour options.

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

MS

15

C

D

E

For electric element & valve options see pages 156 & 160

VL003


Memo

Tube diameter	Dimensions (mm)			Bar Config	End to End connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
40sq mm											
CN007A	140	500	90	2	500	75	86 / 293	372	855.00	1026.00	
CN007B	140	1000	90	2	1000	100	171 / 583	739	972.00	1166.40	
CN007C	140	1500	90	2	1500	125	256 / 873	1107	1122.00	1346.40	

Quadrate

Wall Mounted MD074

Quadrate has 50mm vertical tubes and crisp, sleek edges, which would suit any modern bathroom setting. Available in a range of heights and widths. Manufactured from high quality mild steel. Prices are for chrome central heating models.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT



For electric element & valve options see pages 156 & 160



Quadrate

Tube diameter 50sq + 30sq mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD074	800	500	105	3-3-3	450	150	271 / 925	1173	301.00	361.20	✓
MD074	800	600	105	3-3-3	550	200	310 / 1058	1342	316.00	379.20	✓
MD074	1200	500	105	3-4-7	450	300	416 / 1419	1799	391.00	469.20	✓
MD074	1200	600	105	3-4-7	550	300	477 / 1628	2064	417.00	500.40	✓
MD074	1600	500	105	3-3-3-5-5	450	400	561 / 1914	2427	482.00	578.40	✓
MD074	1600	600	105	3-3-3-5-5	550	600	645 / 2201	2791	516.00	619.20	✓

A strikingly functional product with a high heat output, multiple crossbars for optimum towel hanging capabilities. The square tubing presents a fresh, contemporary feel for a bold and clean profile.

Quadrate Harmonique

Wall Mounted MD078



Finished in chrome. Manufactured from high quality mild steel. Prices shown are chrome finish for central heating models. Please Note: Colour option only applies to the inset radiator, not the frame.

- MS
- 15
- C
- D
- E
-

For electric element & valve options see pages 156 & 160

VL014


Quadrate Harmonique

Tube diameter	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
50sq + 30sq mm	H	W	D								
MD078	1200	500	105-120	7	450	400	1003 / 3422	4339	459.00	550.80	✓

Rubik

Wall Mounted MD038

Simple and beautiful, the rectangular stainless steel tube is built to last. The Rubik comes in polished stainless steel as standard. Please see pages 162 & 163 for finishes and colour options. Stainless steel construction suitable for all hot water systems



1500mm
22 cross bars

1200mm
18 cross bars

800mm
12 cross bars

SS

30

H


D

E

For electric element & valve options see pages 156 & 160

VL014

Rubik

Tube diameter 	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Brushed or Polished	Price £ (inc VAT) Brushed or Polished	Stock or made to order
	H	W	D								
30sq + 20sq mm											
MD038	800	500	80	3-6-3	470	200	404 / 1378	1747	795.00	954.00	
MD038	1200	500	80	4-10-4	470	300	607 / 2071	2626	1022.00	1226.40	
MD038	1500	500	80	4-7-7-4	470	300	747 / 2549	3232	1206.00	1447.20	


Modern looks from this square tubed design brings together aesthetics and practicality. This versatile product will suit any modern bathroom. Chromed to a mirrored or anthracite finish. Prices shown are for central heating models.

Squire

Wall Mounted MD047



Anthracite Textured finish option



1770mm 29 cross bars
1322mm 22 cross bars
830mm 14 cross bars



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT



For electric element & valve options see pages 156 & 160



VL014

Squire

Tube diameter 30sq + 25sq mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C Watts		Price £ (ex VAT) Chrome		Price £ (inc VAT) Anthracite		Stock or made to order
	H	W	D				chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	
MD047	830	480	90	4-10	450	150	278 / 949	416 / 1419	1203	1799	213.00	255.60	141.00	169.20	✓
MD047	830	580	90	4-10	550	200	331 / 1129	495 / 1689	1432	2142	234.00	280.80	155.00	186.00	✓
MD047	1322	480	90	4-8-10	450	300	440 / 1501	656 / 2238	1903	2838	283.00	339.60	187.00	224.40	✓
MD047	1322	580	90	4-8-10	550	300	523 / 1784	780 / 2661	2262	3374	305.00	366.00	202.00	242.40	✓
MD047	1770	480	90	4-7-8-10	450	400	581 / 1982	868 / 2962	2513	3756	364.00	436.80	229.00	274.80	✓
MD047	1770	580	90	4-7-8-10	550	600	691 / 2358	1032 / 3521	2990	4465	384.00	460.80	244.00	292.80	✓

Serene

Wall Mounted MD049

The Serene is just that. A well balanced design which maximises hanging space. A perfect towel warmer for contemporary kitchens and bathrooms alike. Square tubes finished with a choice of chrome or contemporary finishes. Please see page 162 for colour options.



Prices shown are for central heating models.



For electric element & valve options see pages 156 & 160



VL014

Serene

Tube diameter □ 25sq + 30sq mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ Chrome		Price £ White		Price £ Colours		Stock or made to order
	H	W	D				chrome	painted	chrome	painted	(ex VAT)	(inc VAT)	(ex VAT)	(inc VAT)	(ex VAT)	(inc VAT)	
MD049	1000	500	85	12	470	150	257 / 877	409 / 1396	1112	1770	248.00	297.60	165.00	198.00	283.00	339.60	✓
MD049	1165	500	85	15	470	200	314 / 1071	420 / 1433	1358	1817	270.00	324.00	182.00	218.40	302.00	362.40	✓
MD049	1165	600	85	15	570	300	365 / 1245	437 / 1491	1579	1891	297.00	356.40	199.00	238.80	330.00	396.00	✓
MD049	1700	500	85	20	470	300	434 / 1481	501 / 1709	1878	2167	352.00	422.40	232.00	278.40	377.00	452.40	✓
MD049	1700	600	85	20	570	400	520 / 1774	601 / 2051	2249	2601	383.00	459.60	254.00	304.80	397.00	476.40	✓

A contemporary, minimalist design. With crisp edges and clean lines. The Ideal is manufactured in high quality stainless steel which is polished to perfection. Stainless steel construction is suitable for all hot water systems.

Ideal

Wall Mounted MD055



SS

30

H


D

E

For electric element & valve options see pages 156 & 160



VL014

Tube diameter 	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
30sq + 20sq mm											
MD055	900	500	100	3-3	470	100	281 / 959	1216	455.00	546.00	✓
MD055	1200	500	100	4-4	470	125	375 / 1280	1623	509.00	610.80	✓
MD055	1500	500	100	5-5	470	150	469 / 1600	2029	598.00	717.60	✓

Boxa

Wall Mounted CN009

Boxa is crafted using large gauge square and rectangular tubing and has smooth rounded corners. A perfect blend of form and function. There are two options, polished stainless steel or chromed mild steel. Available in three heights to suit the size of your room.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel -
Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel -
Chrome + £249.00 ex VAT
£298.80 inc VAT

Prices shown are for chrome and polished stainless steel models. Please see pages 162 & 163 for finishes and colour options.

MS 15 C D E

For electric element & valve options see pages 156 & 160



Boxa - MS

Tube diameter □ 40sq x 40 + 20sq mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
CN009A - MS	620	450	120	3	410	100	199 / 679	861	392.00	470.40	✓
CN009B - MS	1060	450	120	5	410	150	290 / 989	1254	455.00	546.00	✓
CN009C - MS	1500	450	120	7	410	200	437 / 1491	1891	514.00	616.80	✓

SS 30 H D E


Boxa - SS

Tube diameter □ 40sq x 40 + 20sq mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Brushed or Polished	Price £ (inc VAT) Brushed or Polished	Stock or made to order
CN009A - SS	620	450	120	3	410	100	199 / 679	861	1027.00	1232.40	✋
CN009B - SS	1060	450	120	5	410	125	290 / 989	1254	1280.00	1536.00	✋
CN009C - SS	1500	450	120	7	410	200	437 / 1491	1891	1431.00	1717.20	✋

Arc has it all, ample towel hanging space and good heat output. Available in chrome to suit your ideal kitchen or bathroom. Manufactured from high quality mild steel. Prices shown are for central heating models in a chrome finish.

Arc

Wall Mounted MD065



Mild Steel Metallic Finish Supplements
Gold - POA
Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

MS 15 C D E

For electric element & valve options see pages 156 & 160




VL014

Tube diameter		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø	□	H	W	D								
32mm	40 x 18mm	828	500	95	3-3-4	430	150	232 / 792	1004	259.00	310.80	✓
MD065		1200	500	95	3-4-4-4	430	300	346 / 1181	1498	333.00	399.60	✓
MD065		1800	500	95	3-3-3-4-4-4	430	400	491 / 1675	2124	419.00	502.80	✓

Gallant

Wall Mounted MD040SS

Crafted in high quality stainless steel. The Gallant is a bold stylish piece offering crisp right angles to stunning effect. Available in two heights in polished stainless steel, suitable for all hot water systems. Please see page 162 for colour options



1200mm
11 cross bars

900mm
8 cross bars

SS

30

H

D

E

For electric element & valve options see pages 156 & 160



VL014


Gallant

Tube diameter 	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Brushed or Polished	Price £ (inc VAT) Brushed or Polished	Stock or made to order
	H	W	D								
30sq + 40 x 20sq mm											
MD040SS	900	500	97	2-2-4	440	200	458 / 1563	1982	1003.00	1203.60	
MD040SS	1200	500	97	2-2-3-4	440	300	624 / 2129	2700	1221.00	1465.20	

The square tubed design brings together aesthetics and practicality. This versatile product will suit any modern bathroom. Chromed to a mirrored finish. Prices shown are for central heating models.

Gallant II

Wall Mounted MD040MS



- Mild Steel Metallic Finish Supplements
- Gold - POA

Bright Nickel -
Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel -
Chrome + £249.00 ex VAT
£298.80 inc VAT



MS

15

C

D

E

For electric element & valve options see pages 156 & 160



Gallant II

Tube diameter		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø	□	H	W	D								
35mm	35 x 20mm											
MD040MS		970	500	132	3-4-5	450	200	296 / 1010	1281	366.00	439.20	✓
MD040MS		1270	500	132	3-5-7	450	300	363 / 1239	1571	433.00	519.60	✓

Aquila

Wall Mounted DR016

Rectangular tube towel rail provides ample space and heat for warming or drying towels, in a design which allows you to slide them effortlessly into place from either the left or right, depending on your preference. Manufactured from high quality mild steel.



Prices shown are chrome finished for central heating models.

MS

15


C

D

E

For electric element & valve options see pages 156 & 160

VL014

Tube diameter 	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
40 x 10 + 30 x 30mm											
DR016	1200	500	118	3-3-3-3-3	60	150	354 / 1208	1532	348.00	417.60	✓
DR016	1400	600	118	3-3-3-3-3	60	200	436 / 1488	1887	385.00	462.00	✓

Asymmetric rectangular tube towel rails give a fascinating design that has clean lines and simple access from either side. Manufactured from high quality mild steel, prices shown are chrome finished for central heating models.

Phoenix

Wall Mounted DR017



MS

15

C

D

E

For electric element & valve options see pages 156 & 160




VL014

Phoenix		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output $\Delta T50^{\circ}\text{C}$ Watts/BTU's	Output $\Delta T60^{\circ}\text{C}$ BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Tube diameter		H	W	D								
40 x 10 + 30 x 30mm												
DR017		1200	500	118	3-3-3-3-3	60	150	301 / 1027	1302	319.00	382.80	✓

Curvee

Wall Mounted MD050

Curvee is stylish and practical. As the name suggests the cross rails are gently bowed. The towel rail offers good heat output in four sizes, the 800mm version is pictured. Available in chrome or white finish. Please see page 162 for colour options



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel -

Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel -

Chrome + £249.00 ex VAT
£298.80 inc VAT

Prices shown are chrome finished for central heating models.



For electric element & valve options see pages 156 & 160



Curvee

Tube diameter 15 x 30 + 30 x 40mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ Chrome		Price £ White		Stock or made to order
	H	W	D				chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	
MD050	800	500	96	4-11	455	125	235 / 802	543 / 1853	1017	2350	174.00	208.80	111.00	133.20	✓
MD050	800	600	96	4-11	555	150	274 / 935	556 / 1897	1186	2405	191.00	229.20	129.00	154.80	✓
MD050	1100	500	96	4-6-10	455	200	316 / 1078	583 / 1989	1367	2522	244.00	292.80	156.00	187.20	✓
MD050	1100	600	96	4-6-10	555	300	387 / 1320	587 / 2003	1674	2540	260.00	312.00	173.00	207.60	✓

Rectangular crossbars give a solid feel to this design. Available in two sizes finished in your choice of chrome, white or a contemporary colour of your choice from the swatches (below). Prices shown are for central heating models. Please see page 162 for colour options.

Vela

Wall Mounted MD048

Contemporary Finishes

Latte
Textured

Cappuccino
Textured

Mocha
Textured

Espresso
Gloss

Anthracite
Textured

Satin
Black

Matt Black

White
Sparkle

Grey
Sparkle

1300mm
13 cross bars

950mm
9 cross bars



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



Vela		Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ Chrome		Price £ White		Price £ Colours		Stock or made to order
Tube diameter	Ø 38mm	H	W	D				chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	ex VAT	inc VAT	
MD048	60 x 10mm	950	500	101	2-3-4	462	125	246 / 839	289 / 986	1064	1250	265.00	318.00	177.00	212.40	324.00	388.80	✓
MD048		1300	500	101	3-5-5	462	200	330 / 1126	389 / 1327	1428	1683	423.00	507.60	265.00	318.00	447.00	536.40	✓

Décor

Wall Mounted MD084

A memorable design, available in two sizes. Suitable for any modern bathroom. Chromed to a mirror finish. Prices shown are for central heating models.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT


MS

15

C

For valve options see page 160  VL003

Décor

Tube diameter 	Dimensions (mm)			Bar Config	Face to Face connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D							
40 x 20 + 40 x 10mm										
MD084	750	450	145	4	388	129 / 440	558	249.00	298.80	✓
MD084	1200	450	145	6	388	199 / 679	861	295.00	354.00	✓

Our Décor Harmonique - style combination towel warmer, with flat horizontal bars and a contemporary double panel radiator designed for high heat output. It's modern sleek look brings an air of sophistication to any setting.

Décor Harmonique

Wall Mounted MD094



Manufactured from high quality mild steel in a chrome finish. Prices shown are chrome finish for central heating models. Please Note: Colour option only applies to the inset radiator, not the frame.

- MS
- 15
- C
- D
- E
-

For electric element & valve options see pages 156 & 160

VL003

Décor Harmonique		Dimensions (mm)			Bar Config	Face to Face connections	Electric Element Wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Tube diameter		H	W	D								
40 x 20 + 40 x 18mm												
MD094		1200	500	159	4	442	200	842 / 2873	3643	494.00	592.80	✓

Unique

Wall Mounted CN028

Contemporary Towel Warmer with cylindrical features. Made from high quality mild steel. Prices shown are chrome finished for central heating models.



Mild Steel Metallic Finish Supplements

- Gold - POA
- Bright Nickel - Chrome + £178.00 ex VAT
£213.60 inc VAT
- Brushed Nickel - Chrome + £249.00 ex VAT
£298.80 inc VAT

MS

15

C

D

E



For electric element & valve options see pages 156 & 160

Unique		Dimensions (mm)			Bar Config	Pipe centres	Electric Element Wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Tube diameter	Ø 25.4mm	H	W	D								
CN028		950	500	90	4	460	125	155 / 529	671	336.00	403.20	✓

Venture is available in three widths and four heights, with spacious hanging bars. The bold jointed design suits contemporary interiors. Manufactured from high quality brass, chromed to a mirror finish. Please see pages 162 & 163 for finishes and colour options.

Venture

Wall Mounted CN022



BR

30

H

D

E

Romolo Joint

VL003

For electric element & valve options see pages 156 & 160

Venture											
Tube diameter	Dimensions (mm)			Bar Config	Pipe centres	Electric Element Wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø 25.4 + 22mm	H	W	D								
CN022	750	450	95	4	400	75	121 / 413	524	669.00	802.80	✓
CN022	850	650	95	4	600	100	157 / 536	680	700.00	840.00	👤
CN022	1300	500	95	6	450	125	206 / 703	891	864.00	1036.80	👤
CN022	1300	650	95	6	600	125	240 / 819	1038	879.00	1054.80	👤
CN022	1600	500	95	8	450	150	267 / 911	1155	931.00	1117.20	👤
CN022	1600	650	95	8	600	150	312 / 1065	1350	1023.00	1227.60	👤

Vivid

Wall Mounted CN021

Vivid is a beautiful minimalistic towel warmer, manufactured from high quality brass. Prices shown are for chrome heating and hot water systems. Please see pages 162 & 163 for finishes and colour options.



Mitred Joint



For electric element & valve options see pages 156 & 160



VL003

Vivid

Tube diameter Ø 25.4 + 22mm	Dimensions (mm)			Bar Config	Pipe centres	Electric Element Wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
CN021	750	450	93	4	400	75	121 / 413	524	577.00	692.40	✓
CN021	800	650	93	4	600	100	154 / 525	666	638.00	765.60	✗
CN021	1250	500	93	6	450	125	201 / 686	870	741.00	889.20	✓
CN021	1250	650	93	6	600	125	235 / 802	1017	755.00	906.00	✗
CN021	1550	500	93	8	450	150	258 / 880	1116	863.00	1035.60	✗
CN021	1550	650	93	8	600	150	303 / 1034	1311	890.00	1068.00	✗

Vivid IV has all the stunning looks of Vivid with the added feature of built in integral valves. Manufactured from high quality brass with a chrome mirror finish.

Vivid Integral Valve

Wall Mounted IVCN021



Prices shown are for chrome heating and hot water systems. This radiator is also available on previous page with standard valves. Please see pages 162 & 163 for finishes and colour options. Pipe work is hidden in the wall. Supplied with service valves, which must be fitted on installation. Please consult your installer for the suitability of a brick wall installation.

BR

30

H

Vivid Integral Valve

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe centres	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D							
IVCN021	700	500	94	4	450	138 / 471	597	696.00	835.20	
IVCN021	1100	500	94	5	450	189 / 645	818	761.00	913.20	
IVCN021	1400	500	94	6	450	232 / 792	1004	858.00	1029.60	

Vivid Integral Valve

Wall Mounted IVCN021

Vivid IV horizontal is the ideal choice over a bath or underneath a window. The single bar versions are perfect for en-suites and small spaces. Manufactured from high quality brass with built in valves.



Prices shown are chrome finished for all heating and hot water systems. Please see pages 162 & 163 for finishes and colour options. Pipe work is hidden in the wall. Supplied with service valves, which must be fitted on installation. Not suitable for brick walls.

BR

30

H

D

Vivid Integral Valve

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe centres	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D							
IVCN021	400	1200	94	3	1150	183 / 624	791	790.00	948.00	
IVCN021 single bar	50	400	94	1	325	21 / 72	91	265.00	318.00	
IVCN021 single bar	50	600	94	1	525	30 / 102	129	275.00	330.00	

Simple and beautiful, this design manufactured from high quality brass, is perfect at the side of a shower.

Simplicity Integral Valve

Wall Mounted IVCN026



Prices shown are chrome finished for all heating and hot water systems. Please see pages 162 & 163 for finishes and colour options. Pipe work is hidden in the wall. Supplied with service valves, which must be fitted on installation. Not suitable for brick walls.

BR

30

H

Simplicity Integral Valve

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe centres	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D							
IVCN026	1700	50	115	1	1625	75 / 256	325	355.00	426.00	

Ieri

Wall Mounted TM014 - MS

An alternative mild steel option to the Ieri brass model, offering a fixed shelf position for the added benefit of towel stacking or towel hanging space. Available in two height options to suit your space.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

Manufactured from high quality mild steel. Prices shown are chrome finished for central heating models.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



Ieri - MS

Tube diameter Ø 32 + 25 + 19mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TM014-MS	750	525	265	5	240	100	173 / 590	748	388.00	465.60	✓
TM014-MS	1350	525	265	8	240	200	277 / 945	1198	462.00	554.40	✓

The integrated shelf in this curvaceous design has the added benefit of towel stacking as well as plentiful hanging space. Available in two height options to suit your space with an alternative shelf position which is optional on point of order.

Ieri

Wall Mounted TM014 - BR



Please note shelf location may vary when electric model specified on Brass model

Manufactured from high quality brass and chrome finished, with bespoke finishes available at an additional cost. Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for central heating models.

BR

30

H

D

E

VL003

For electric element & valve options see pages 156 & 160


Ieri - BR

Tube diameter Ø 25.4 + 22mm	Dimensions (mm)			Bar Config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TM014	750	500	265	4	375	100	219 / 747	947	844.00	1012.80	
TM014	1350	500	265	7	375	200	329 / 1123	1424	920.00	1104.00	

Solo

The single shelf towel rack, Solo is an ideal design for limited space. This design provides ease of access to your dry and warm towels.

Wall Mounted TR001



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

Manufactured from quality brass or mild steel and chromed to a mirror finish. Bespoke finishes are available at an additional cost. Please see page 162 for colour options. Prices shown are chrome finished for central heating models.



For electric element & valve options see pages 156 & 160



Solo - MS

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TR001-MS	265	500	315	5	425	50	97 / 331	420	226.00	271.20	✓




Solo - BR

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TR001	263	500	315	5	425	50	126 / 430	545	570.00	684.00	✎

The double shelf towel rack Binary, is perfect for situations where space is at a premium and style is of priority. This clever design allows you to stack, roll or hang your towels, so they are always warm, dry and handy.

Binary

Wall Mounted TR002



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

Manufactured from quality brass or mild steel and chromed to a mirror finish. Bespoke finishes are available at an additional cost. Please see page 162 for colour options. Prices shown are chrome finished for central heating models.



For electric element & valve options see pages 156 & 160



Binary MS

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TR002-MS	274	500	315	9	425	75	155 / 529	671	352.00	422.40	✓



Binary BR

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TR002	275	500	315	9	425	75	224 / 764	969	754.00	904.80	✗

Comby

Wall Mounted MD052

Comby is designed to provide completely adaptable towel hanging and storage space. Towels in use can be hung over the cross rails to dry, clean towels placed on the folding shelf. Chromed to a mirror or white painted finish. Prices shown are for central heating models.



The Comby is designed for efficient heating of your towels and will provide maximum heat output with the shelf in the open position (as illustrated). In the closed (down) position heating of the shelf is reduced.

- MS
- 15
- C
- D
- E

For electric element & valve options see pages 156 & 160



Comby Tube diameter 40 x 30 D Section + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/ BTU's		Output Δ T60°C BTU's		Price £ Chrome		Price £ White		Stock or made to order
	H	W	D				Chrome	White	Chrome	White	(ex VAT)	(inc VAT)	(ex VAT)	(inc VAT)	
MD052	1200	500	85-110	25	455	300	377 / 1286	507 / 1730	1631	2194	308.00	369.60	229.00	274.80	✓
MD052	1200	600	85-110	25	555	300	452 / 1542	683 / 2330	1955	2954	323.00	387.60	241.00	289.20	✓

A modern chrome multirail towel warmer with folding shelf combined with a white double panel radiator giving high heat output and drying in a combined unit. Inset radiator available in other radiator RAL colours.

Harmonique Duo

Wall Mounted MD090



The Harmonique Duo is designed for efficient heating of your towels and will provide maximum heat output with the shelf in the open position (as illustrated). In the closed (down) position heating of the shelf is reduced. Manufactured from mild steel, suitable for closed heating systems. Please see page 162 for colour options. Please Note: Colour option only applies to the inset radiator, not the frame.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160

VL003

Tube diameter Ø 40 x 30 D Section + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD090	1200	500	104	25	455	300	850 / 2900	3677	488.00	585.60	✓
MD090	1200	600	104	25	555	300	1170 / 3992	5062	526.00	631.20	✓

Carina

Wall Mounted MD051

Carina offers curves that work perfectly with the bold tubular design. The towel rail maximises storage space with a top shelf. Finished in chrome to match your sanitaryware. Style and versatility for the most contemporary of settings. Manufactured from high quality mild steel.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT - £298.80 inc VAT

Prices shown are chrome finished for central heating models.

- MS
- 15
- C
- D
- E

For electric element & valve options see pages 156 & 160

VL003


Carina

Tube diameter Ø 22 + 40 x 30mm D Section	Dimensions (mm)			Bar Config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD051	1200	500	225	8	422	125	223 / 761	965	343.00	411.60	✓
MD051	1200	600	225	8	522	150	243 / 829	1051	387.00	464.40	✓

A perfect combination for heating and drying. This versatile product will suit any modern bathroom. With a white double panelled radiator as standard and 25mm chrome horizontal tubes. Other radiator colours can be specified, please see page 162 for colour options.

Harmonique

Wall Mounted MD060



Prices shown are for central heating models. Please Note: Colour option only applies to the inset radiator, not the frame.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



Harmonique

Tube diameter 25 + 30 x 40mm D Section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD060	1200	500	107	3-3-3	464	300	834 / 2846	3609	437.00	524.40	✓
MD060	1200	600	107	3-3-3	564	400	1033 / 3525	4470	474.00	568.80	✓
MD060	1500	500	107	3-3-3-3	464	400	1145 / 3907	4954	510.00	612.00	✓
MD060	1500	600	107	3-3-3-3	564	400	1438 / 4906	6221	550.00	660.00	✓

Nexus III

Wall Mounted TM001

High heat output from a radiator combined with a stylish brass frame makes the perfect combination of heat, good looks and versatility to enhance any bathroom or utility room. Prices shown are for central heating models. The inset radiator comes in white as standard.



Please see pages 162 & 163 for finishes and colour options applicable to the tubular frame only.

Please Note: The colour option does not apply to the inset radiator.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160

VL003

Nexus III

Tube diameter Ø 25.4 + 15mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TM001	900	525	142	6	500	400	716 / 2443	3098	815.00	978.00	

The contemporary version of the Nexus Grand (Pages 110 & 111) is manufactured in brass framework and chrome finished. Prices shown are for central heating models. The inset radiator comes in white as standard.

Nexus IV

Wall Mounted TM002



Please see pages 162 & 163 for finishes and colour options applicable to the tubular frame only.
Please Note: The colour option does not apply to the inset radiator.

BR

30

H


D

E

For electric element & valve options see pages 156 & 160



VL003

Nexus IV											
Tube diameter	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø 25.4 + 22mm	H	W	D								
TM002	900	590	214	3	500	400	689 / 2351	2981	824.00	988.80	

Tempo

Wall Mounted MD072

Something different. A contemporary multirail, with protruding bars for extra towel hanging space. Prices shown are chromed finish for central heating models.



MS 15 C D E

For electric element & valve options see pages 156 & 160



Tempo

Tube diameter Ø 22 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD072	800	500	170-190	19 + 9	455	150	416 / 1419	1799	187.00	224.40	✓
MD072	1160	500	170-190	25 + 12	455	300	592 / 2020	2561	255.00	306.00	✓


A towel warmer providing great efficiency and easy to install with its lightweight material.
Available in white or anthracite.

Astute

Wall Mounted CN095



AL 30 H D E

For other valve options see page 160  VL003

Astute

	Dimensions (mm)			Bar config	Pipe centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ White		Price £ Anthracite		Stock or made to order
	H	W	D						ex VAT	inc VAT	ex VAT	ex VAT	
CN095	1200	500	100	10	470	600	778 / 2655	3367	265.00	318.00	273.00	327.60	✓



Images showing our Focus MD001 in Satin Black
See page 75



Ladder Rails

Who said being practical had to be boring?
Our range of ladder rails combine function and
form effortlessly. Choose from our inspired range
and heating your room and warming your towels
need never be dull again.



22mm Wall Mounted MD062

Our Axis offers adjustable brackets through the crossbars also offer freedom and ease of installation. Offering a copious amount of rails for optimum efficiency, this contemporary rail is a modern example of proficient design... Prices shown are for chrome finish, central heating models.

Optional Aroma Plug

Blanking Plug with Aroma Oil Dish



AC035

£8.00 ex VAT

£9.60 inc VAT



Straight Bars



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT
£298.80 inc VAT

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



VL003

Axis (Straight)


Tube diameter Ø 22 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD062	600	400	83 - 105	4-8	355	100	172 / 587	744	108.00	129.60	✓
MD062	600	500	83 - 105	4-8	455	125	208 / 710	900	114.00	136.80	✓
MD062	600	600	83 - 105	4-8	555	125	245 / 836	1060	119.00	142.80	✓
MD062	800	300	83 - 105	4-5-5	255	100	167 / 570	723	125.00	150.00	✓
MD062	800	400	83 - 105	4-5-5	355	100	209 / 713	904	129.00	154.80	✓
MD062	800	500	83 - 105	4-5-5	455	125	252 / 860	1090	138.00	165.60	✓
MD062	800	600	83 - 105	4-5-5	555	150	295 / 1007	1277	147.00	176.40	✓
MD062	800	750	83 - 105	4-5-5	705	200	359 / 1225	1553	163.00	195.60	✓
MD062	1000	300	83 - 105	4-5-8	255	150	204 / 696	883	135.00	162.00	✓
MD062	1000	400	83 - 105	4-5-8	355	150	256 / 873	1107	142.00	170.40	✓
MD062	1000	500	83 - 105	4-5-8	455	200	308 / 1051	1333	154.00	184.80	✓
MD062	1000	600	83 - 105	4-5-8	555	200	361 / 1232	1562	165.00	198.00	✓
MD062	1200	300	83 - 105	4-5-12	255	200	250 / 853	1082	153.00	183.60	✓
MD062	1200	400	83 - 105	4-5-12	355	200	313 / 1068	1354	157.00	188.40	✓
MD062	1200	500	83 - 105	4-5-12	455	200	378 / 1290	1636	167.00	200.40	✓
MD062	1200	600	83 - 105	4-5-12	555	300	443 / 1512	1917	184.00	220.80	✓
MD062	1200	750	83 - 105	4-5-12	705	300	537 / 1832	2323	192.00	230.40	✓
MD062	1400	500	83 - 105	4-5-5-10	455	300	431 / 1471	1865	186.00	223.20	✓
MD062	1400	600	83 - 105	4-5-5-10	555	300	504 / 1720	2181	202.00	242.40	✓
MD062	1600	400	83 - 105	4-5-5-5-9	355	300	412 / 1406	1783	204.00	244.80	✓
MD062	1600	500	83 - 105	4-5-5-5-9	455	300	495 / 1689	2142	206.00	247.20	✓
MD062	1600	600	83 - 105	4-5-5-5-9	555	400	580 / 1979	2509	219.00	262.80	✓
MD062	1800	400	83 - 105	4-5-5-5-13	355	400	464 / 1583	2007	246.00	295.20	✓
MD062	1800	500	83 - 105	4-5-5-5-13	455	400	558 / 1904	2414	259.00	310.80	✓
MD062	1800	600	83 - 105	4-5-5-5-13	555	400	654 / 2231	2829	277.00	332.40	✓
MD062	1800	750	83 - 105	4-5-5-5-13	705	400	815 / 2781	3526	281.00	337.20	✓



Combes

22mm Wall Mounted MD063

Our Combes offers adjustable brackets through the crossbars also offer freedom and ease of installation. Offering a copious amount of rails for optimum efficiency, this contemporary rail is a modern example of proficient design... The curved version of our MD062. Prices shown are for chromed finish, central heating models.




Optional Aroma Plug
Blanking Plug with Aroma Oil Dish
AC035
£8.00 ex VAT
£9.60 inc VAT

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT
£298.80 inc VAT



MS

15

C

D

E

For electric element & valve options see pages 156 & 160

VL003

Combes (Curved)

Tube diameter Ø 22 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD063	800	500	89 - 119	4-5-5	455	125	252 / 860	1090	141.00	169.20	✓
MD063	800	600	95 - 125	4-5-5	555	150	295 / 1007	1277	153.00	183.60	✓
MD063	1000	500	89 - 119	4-5-8	455	200	308 / 1051	1333	157.00	188.40	✓
MD063	1000	600	95 - 125	4-5-8	555	200	361 / 1232	1562	169.00	202.80	✓
MD063	1200	500	89 - 119	4-5-12	455	200	378 / 1290	1636	173.00	207.60	✓
MD063	1200	600	95 - 125	4-5-12	555	300	443 / 1512	1917	189.00	226.80	✓
MD063	1400	500	89 - 119	4-5-5-10	455	300	431 / 1471	1865	190.00	228.00	✓
MD063	1400	600	95 - 125	4-5-5-10	555	300	504 / 1720	2181	205.00	246.00	✓
MD063	1600	500	89 - 119	4-5-5-5-9	455	300	495 / 1689	2142	212.00	254.40	✓
MD063	1600	600	95 - 125	4-5-5-5-9	555	400	580 / 1979	2509	224.00	268.80	✓
MD063	1800	500	89 - 119	4-5-5-5-13	455	400	558 / 1904	2414	264.00	316.80	✓
MD063	1800	600	95 - 125	4-5-5-5-13	555	400	654 / 2231	2829	283.00	339.60	✓



Focus


25mm Wall Mounted MD001

The Focus is a range of 25mm horizontal tube design towel warmers. Giving high heat output and superior looks. Manufactured from high quality mild steel with smooth flat tops and rear air vent. Prices shown are for chrome and white central heating models.



Image shown with VL015 valves

Straight Bars



New Metallic Finishes



Bright Nickel

Chrome + £178.00 ex VAT - £213.60 inc VAT



Brushed Nickel

Chrome + £249.00 ex VAT - £298.80 inc VAT

Available in other contemporary colours please see page 75. Please see page 162 for colour options.



For electric element & valve options see pages 156 & 160




Focus (Straight)

Tube diameter 25 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £		Price £		Stock or made to order
	H	W	D				chrome	white	chrome	white	ex VAT	inc VAT	ex VAT	inc VAT	
MD001	800	300	93-113	3-5-6	255	100	177 / 604	271 / 925	766	1173	158.00	189.60	85.00	102.00	✓
MD001	800	400	93-113	3-5-6	355	125	226 / 771	346 / 1181	978	1498	163.00	195.60	90.00	108.00	✓
MD001	800	500	93-113	3-5-6	455	150	275 / 938	420 / 1433	1189	1817	179.00	214.80	101.00	121.20	✓
MD001	800	600	93-113	3-5-6	555	200	324 / 1105	495 / 1689	1401	2142	198.00	237.60	106.00	127.20	✓
MD001	1000	500	93-113	4-5-9	455	200	351 / 1198	446 / 1522	1519	1930	208.00	249.60	108.00	129.60	✓
MD001	1000	600	93-113	4-5-9	555	200	414 / 1413	510 / 1742	1792	2209	215.00	258.00	111.00	133.20	✓
MD001	1200	300	93-113	4-5-13	255	200	273 / 931	424 / 1447	1181	1835	224.00	268.80	112.00	134.40	✓
MD001	1200	400	93-113	4-5-13	355	200	350 / 1194	543 / 1853	1514	2350	230.00	276.00	122.00	146.40	✓
MD001	1200	500	93-113	4-5-13	455	300	428 / 1460	663 / 2262	1851	2868	250.00	300.00	136.00	163.20	✓
MD001	1200	600	93-113	4-5-13	555	400	505 / 1723	783 / 2672	2185	3388	277.00	332.40	147.00	176.40	✓
MD001	1500	500	93-113	4-5-7-12	455	300	534 / 1822	820 / 2798	2310	3548	316.00	379.20	156.00	187.20	✓
MD001	1500	600	93-113	4-5-7-12	555	400	631 / 2153	969 / 3306	2730	4192	353.00	423.60	163.00	195.60	✓
MD001	1800	400	93-113	4-5-12-13	355	400	521 / 1778	793 / 2706	2255	3431	361.00	433.20	174.00	208.80	✓
MD001	1800	500	93-113	4-5-12-13	455	600	638 / 2177	969 / 3306	2760	4192	389.00	466.80	182.00	218.40	✓
MD001	1800	600	93-113	4-5-12-13	555	600	754 / 2573	1146 / 3910	3263	4958	435.00	522.00	205.00	246.00	✓

The curved version of the Focus. The Chorus has all the same attributes with high heat output and superb looks. Prices shown are for chrome or white central heating models. Please see page 162 for colour options.

Chorus

25mm Wall Mounted MD002



MS

15

C

D

E

For electric element & valve options see pages 156 & 160

VL003

Chorus (Curved)

Tube diameter 25 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £		Price £		Stock or made to order
	H	W	D				chrome	white	chrome	white	ex VAT	inc VAT	ex VAT	inc VAT	
MD002	800	500	88-108	3-5-6	455	150	275 / 938	420 / 1433	1189	1817	184.00	220.80	106.00	127.20	✓
MD002	800	600	94-114	3-5-6	555	200	324 / 1105	495 / 1689	1401	2142	209.00	250.80	112.00	134.40	✓
MD002	1000	500	88-108	4-5-9	455	200	351 / 1198	-	1519	-	224.00	268.80	-	-	✓
MD002	1000	600	94-114	4-5-9	555	200	414 / 1413	-	1792	-	230.00	276.00	-	-	✓
MD002	1200	500	88-108	4-5-13	455	300	428 / 1460	663 / 2262	1851	2868	266.00	319.20	144.00	172.80	✓
MD002	1200	600	94-114	4-5-13	555	400	505 / 1723	783 / 2672	2185	3388	290.00	348.00	154.00	184.80	✓
MD002	1500	500	88-108	4-5-7-12	455	300	534 / 1822	820 / 2798	2310	3548	367.00	440.40	171.00	205.20	✓
MD002	1500	600	94-114	4-5-7-12	555	400	631 / 2153	969 / 3306	2730	4192	413.00	495.60	179.00	214.80	✓
MD002	1800	500	88-108	4-5-12-13	455	600	638 / 2177	969 / 3306	2760	4192	414.00	496.80	198.00	237.60	✓
MD002	1800	600	94-114	4-5-12-13	555	600	754 / 2573	1146 / 3910	3263	4958	460.00	552.00	212.00	254.40	✓


Focus Horizontal

25mm Wall Mounted MD001H

Our Focus horizontal is a smart alternative to the typical ladder- rail style. Allowing you to hang towels side by side and a perfect fit for underneath a window or shelf, with high heat output and superb looks.



Prices shown are for chrome, White or Anthracite central heating models. Please see page 162 for colour options.



- MS
- 15
- C
- D
- E
-

For electric element & valve options see pages 156 & 160



Focus Horizontal

Please note painted models supplied with chrome brackets

Tube diameter 25 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ Chrome		Price £ Anthracite or White		Stock or made to order
	H	W	D				chrome	Anthracite or White	chrome	Anthracite or White	ex VAT	inc VAT	ex VAT	inc VAT	
MD001H	400	1000	93-113	3-4	955	100	200 / 682	302 / 1030	865	1306	98.00	117.60	70.00	84.00	✓
MD001H	500	1000	93-113	3-6	955	125	256 / 873	386 / 1317	1107	1670	113.00	135.60	81.00	97.20	✓
MD001H	600	1000	93-113	3-3-4	955	150	288 / 983	434 / 1481	1246	1878	121.00	145.20	92.00	110.40	✓

Contemporary painted finishes in our popular 25mm horizontal tube multirail. Prices shown are for central heating models. Optional accessories available in different finishes.

Focus Colours

25mm Wall Mounted MD001

Contemporary Finishes





Latte
Textured

Cappuccino
Textured

Mocha
Textured

Espresso
Gloss




Anthracite
Textured

Satin
Black

Matt Black

White
Sparkle

Grey
Sparkle



800mm
14 cross bars

1200mm
22 cross bars

1800mm
34 cross bars



Image showing Satin Black finish

Painted colour options available in our popular Arne (VL003) valves.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



VL003


Focus Colours

Tube diameter 25 + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Colours	Price £ (inc VAT) Colours	Stock or made to order
	H	W	D								
MD001	800	500	93	3-5-6	455	150	420 / 1433	1817	103.00	123.60	✓
MD001	1200	300	93	4-5-13	255	200	424 / 1447	1835	115.00	138.00	✓
MD001	1200	500	93	4-5-13	455	300	663 / 2262	2868	139.00	166.80	✓
MD001	1200	600	93	4-5-13	555	400	783 / 2672	3388	150.00	180.00	✓
MD001	1800	500	93	4-5-12-13	455	600	969 / 3306	4192	186.00	223.20	✓


Chube

Stainless Steel MD035

The round tube polished stainless steel design with rear air vent, brings together aesthetics and practicality. It will suit any modern bathroom. Please see page 162 for colour options. Stainless Steel suitable for all hot water systems.



1600mm
24 Cross Bars



1200mm
18 Cross Bars



800mm
12 Cross Bars



For electric element & valve options see pages 156 & 160



VL003


Chube

Tube diameter Ø 31.8 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
	H	W	D								
MD035	800	300	100	3-4-5	268	100	161 / 549	696	220.00	264.00	✓
MD035	800	400	100	3-4-5	368	100	197 / 672	852	241.00	289.20	✓
MD035	800	500	100	3-4-5	468	125	243 / 829	1051	262.00	314.40	✓
MD035	800	600	100	3-4-5	568	150	269 / 918	1164	304.00	364.80	✓
MD035	1200	300	100	3-4-5-6	268	125	240 / 819	1038	325.00	390.00	✓
MD035	1200	400	100	3-4-5-6	368	150	294 / 1003	1272	350.00	420.00	✓
MD035	1200	500	100	3-4-5-6	468	200	348 / 1187	1505	378.00	453.60	✓
MD035	1200	600	100	3-4-5-6	568	200	402 / 1372	1740	442.00	530.40	✓
MD035	1600	300	100	3-4-5-6-6	268	200	321 / 1095	1388	475.00	570.00	✓
MD035	1600	400	100	3-4-5-6-6	368	200	391 / 1334	1692	535.00	642.00	✓
MD035	1600	500	100	3-4-5-6-6	468	300	464 / 1583	2007	584.00	700.80	✓
MD035	1600	600	100	3-4-5-6-6	568	300	536 / 1829	2319	642.00	770.40	✓

Kerve is the curvaceous sibling of the Chube. As the name suggests the hanging bars have a gentle tactile bow. The design has an integral rear air vent for aesthetic appeal and ease of installation. Available in a wide range of heights and widths.

Kerve

Stainless Steel MD036



Polished stainless steel manufacture, suitable for all hot water systems. Please see page 162 for colour options

SS

30

H

D

E

For electric element & valve options see pages 156 & 160

VL003


Kerve

Tube diameter Ø 31.8 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
	H	W	D								
MD036	800	500	120	3-4-5	468	125	243 / 829	1051	305.00	366.00	✓
MD036	800	600	130	3-4-5	568	150	269 / 918	1164	347.00	416.40	✓
MD036	1200	500	120	3-4-5-6	468	200	348 / 1187	1505	427.00	512.40	✓
MD036	1200	600	130	3-4-5-6	568	200	402 / 1372	1740	492.00	590.40	✓
MD036	1600	500	120	3-4-5-6-6	468	300	464 / 1583	2007	596.00	715.20	✓
MD036	1600	600	130	3-4-5-6-6	568	300	536 / 1829	2319	653.00	783.60	✓


Galaxy

Stainless Steel MD059


Galaxy has clean lines and plenty of hanging space. Manufactured from polished stainless steel. Please see page 162 for colour options Suitable for all hot water systems.



1600mm
7 cross bars



1200mm
5 cross bars



700mm
3 cross bars

SS

30

H

D

E

For electric element & valve options see pages 156 & 160




Galaxy


Tube diameter Ø 31.8 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
	H	W	D								
MD059	700	500	100	3	468	75	86 / 293	372	235.00	282.00	✓
MD059	1200	500	100	5	468	100	217 / 740	938	366.00	439.20	✓
MD059	1600	500	100	7	468	125	296 / 1010	1281	470.00	564.00	✓



600mm
9 cross bars



800mm
12 cross bars



SS

30

H

D

E



For electric element & valve options see pages 156 & 160


VL003

Tube diameter Ø 31.8 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
	H	W	D								
MD058	600	750	100	4-5	718	100	419 / 1430	1813	332.00	398.40	✓
MD058	600	1000	100	4-5	968	125	517 / 1764	2237	383.00	459.60	✓
MD058	800	750	100	3-4-5	718	125	529 / 1805	2289	404.00	484.80	✓
MD058	800	1000	100	3-4-5	968	150	682 / 2327	2951	442.00	530.40	✓


Tune

Wall Mounted MD003


Contemporary style, these multirails work well with most interior design schemes. Tune has straight cross rails and the Melody has a gentle curve. Both are exceptionally practical and work well in bathrooms and kitchens alike. Prices shown are chrome finished for central heating models.




772mm
13 Cross Bars



1186mm
20 Cross Bars



1508mm
25 Cross Bars



1738mm
30 Cross Bars

Optional Aroma Plug



Blanking Plug with Aroma Oil Dish
AC035
£8.00 ex VAT £9.60 inc VAT



For electric element & valve
options see pages 156 & 160

MS 15 C D E

Tune (Straight)

Tube diameter Ø 32 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD003	772	500	80 - 95	3-5-5	450	125	290 / 989	1254	157.00	188.40	✓
MD003	772	600	80 - 95	3-5-5	550	200	347 / 1184	1501	167.00	200.40	✓
MD003	1186	500	80 - 95	5-5-5-5	450	300	465 / 1587	2012	213.00	255.60	✓
MD003	1186	600	80 - 95	5-5-5-5	550	300	553 / 1887	2393	232.00	278.40	✓
MD003	1508	500	80 - 95	5-5-5-5-5	450	400	581 / 1982	2513	257.00	308.40	✓
MD003	1508	600	80 - 95	5-5-5-5-5	550	400	686 / 2341	2968	279.00	334.80	✓
MD003	1738	500	80 - 95	6-6-6-6-6	450	600	687 / 2344	2972	294.00	352.80	✓
MD003	1738	600	80 - 95	6-6-6-6-6	550	600	815 / 2781	3526	320.00	384.00	✓

Our curved model of Tune - MD003, the MD004's tube on tube details produce a clean, modern and smooth look. Using the iconic form of the multirail alongside the extra detailed touches creates an alternative look for any setting.

Melody

Wall Mounted MD004



- MS
- 15
- C
- D
- E


Melody (Curved)

Tube diameter Ø 32 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD004	772	500	100 - 115	3-5-5	450	125	290 / 989	1254	160.00	192.00	✓
MD004	772	600	100 - 115	3-5-5	550	200	347 / 1184	1501	172.00	206.40	✓
MD004	1186	500	100 - 115	5-5-5-5	450	300	465 / 1587	2012	216.00	259.20	✓
MD004	1186	600	100 - 115	5-5-5-5	550	300	553 / 1887	2393	253.00	303.60	✓
MD004	1508	500	100 - 115	5-5-5-5-5	450	400	581 / 1982	2513	262.00	314.40	✓
MD004	1508	600	100 - 115	5-5-5-5-5	550	400	686 / 2341	2968	285.00	342.00	✓
MD004	1738	500	100 - 115	6-6-6-6-6	450	600	686 / 2341	2968	299.00	358.80	✓
MD004	1738	600	100 - 115	6-6-6-6-6	550	600	815 / 2781	3526	326.00	391.20	✓


Stella

Stainless Steel MD034

Contemporary styling always makes an impact. Stella is manufactured from polished stainless steel. Suitable for all hot water systems.



1200mm
22 cross bars



800mm
15 cross bars

- SS
- 30
- H
- D
- E

For electric element & valve options see pages 156 & 160



VL003

Stella

Tube diameter Ø 22 + 30mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
	H	W	D								
MD034	800	450	75 - 95	3-4-8	400	125	412 / 1406	1783	354.00	424.80	✓
MD034	800	600	75 - 95	3-4-8	550	200	515 / 1757	2228	377.00	452.40	✓
MD034	1200	450	75 - 95	4-8-10	400	200	608 / 2074	2630	488.00	585.60	✓
MD034	1200	600	75 - 95	4-8-10	550	300	759 / 2590	3284	584.00	700.80	✓

Simple style, with bold straight cross rails. Manufactured from a high quality brass and chromed to a mirror finish. Supplied with a hidden rear air vent for aesthetic appeal and ease of installation. Available in three different heights.

Studio


Wall Mounted MD006




Rear air vent
Capped off smooth ends for
aesthetic appeal and ease of
installation.



1435mm
30 Cross Bars



1000mm
21 Cross Bars



720mm
14 Cross Bars



If you need a different size, talk to us about our bespoke service. Prices shown are for all hot water and heating systems. Please see pages 162 & 163 for finishes and colour options.

BR

30

H

D

E

For electric element & valve
options see pages 156 & 160

VL003

Studio

Tube diameter Ø 31.8 + 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
MD006	720	500	82 - 102	4-4-6	468	125	327 / 1116	1415	627.00	752.40	✓
MD006	1000	500	82 - 102	6-7-8	468	200	482 / 1645	2086	867.00	1040.40	✓
MD006	1435	500	82 - 102	6-8-8-8	468	300	690 / 2354	2985	1183.00	1419.60	✓



Images showing our Regency OC006
See page 87

A photograph of a classic white pedestal sink in a bathroom. The sink is white with a flared base and a rectangular basin. It has two chrome faucets and a chrome soap dispenser on the left. A white towel hangs from a chrome ring on the right. The background is a dark blue wall with a horizontal decorative line. A round mirror is partially visible at the top. To the left is a dark blue door. The floor is covered in a patterned tile with a geometric design. The text "Traditional" is centered over the sink.

Traditional

Go timeless and give your room a focal point that never fails to impress. Our range of classic designs, in a stunning choice of colours and finishes, add instant elegance to your room. Plus each is handcrafted to stand the test of time.

Regency

Floor and Wall Mounted LG004-MS

The classic column radiator towel rail, offering high heat output. Mild steel manufactured framework with an integral white mild steel column radiator. Please Note: Colour option only applies to the inset radiator, not the frame.



Mild Steel Metallic Finish Supplements
 Gold - POA
 Bright Nickel - Chrome + £178.00 ex VAT
 £213.60 inc VAT
 Brushed Nickel - Chrome + £249.00 ex VAT
 £298.80 inc VAT

Image showing Chrome frame with standard white radiator

Image showing Chrome frame with Bronze crackle radiator

Prices shown are chrome finished with a white integral radiator, central heating models.

MS

15

C

D

E

For electric element & valve options see pages 156 & 160



VL008

Regency MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG004-MS	963	538	230	5	393	200	392 / 1338	1697	377.00	452.40	✓
LG004-MS	963	673	230	8	528	300	554 / 1890	2397	447.00	536.40	✓
LG004-MS	963	763	230	10	618	400	653 / 2228	2825	512.00	614.40	✓

An authentic column radiator towel rail, offering high heat output. Brass manufactured framework with an integral white mild steel column radiator.

Regency

Floor and Wall Mounted LG004-BR / OG006-BR



Prices shown are chrome finished for central heating models. Please see pages 162 & 163 for finishes and colour options.

BR

30

C

D

E

For electric element & valve options see pages 156 & 160

VL008

Regency BR

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG004C-BR	938	500	250	5	343	200	392 / 1338	1697	982.00	1178.40	
LG004B-BR	938	675	250	8	518	400	554 / 1890	2397	992.00	1190.40	
LG004A-BR	938	735	250	10	578	400	653 / 2228	2825	999.00	1198.80	
OG006C-BR	938	500	250	5	343	200	392 / 1338	1697	1005.00	1206.00	
OG006B-BR	938	675	250	8	518	400	554 / 1890	2397	1012.00	1214.40	
OG006A-BR	938	735	250	10	578	400	653 / 2228	2825	1022.00	1226.40	

Regency

Wall Mounted LG005 / OG015

A classic design with a compact height. This towel rail looks great alongside the bath, at the right height for reaching your luxuriously warm towel! Brass or Mild Steel manufactured framework with an integral white mild steel column radiator.



Image showing Brushed Brass frame and Satin Black radiator



LG Ball Joint



OG Ball Joint

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Other colours can be specified. Please see pages 162 & 163 for finishes and colour options. Please Note: The colour option does not apply to the Mild Steel (MS) model inset radiators. Prices shown are chrome finished for central heating models.

MS 15 C D E

For electric element & valve options see pages 156 & 160



VL008

Regency - MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG005-MS	740	675	250	8	600	300	568 / 1938	2457	445.00	534.00	✓

BR 30 C D E

Regency - BR

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG005C-BR	740	500	250	5	425	200	384 / 1310	1661	1028.00	1233.60	👉
LG005B-BR	740	675	250	8	600	400	541 / 1846	2341	1097.00	1316.40	👉
LG005A-BR	740	735	250	10	660	400	643 / 2194	2782	1144.00	1372.80	👉
OG015-BR	740	500	250	5	425	200	384 / 1310	1661	1052.00	1262.40	👉
OG015-BR	740	675	250	8	600	400	541 / 1846	2341	1115.00	1338.00	👉
OG015-BR	740	735	250	10	660	400	643 / 2194	2782	1130.00	1356.00	👉

The Regency II Wall Mounted emanates traditional style. This handmade British design will stand the test of time! A Vogue UK registered design, liked for its heat output, hanging space and unique design.

Regency II

Wall Mounted LG036 / OG009



Brass manufactured framework with an integral white mild steel column radiator. Your choice of Legacy or Originals ball joint. Other radiator colours can be specified on ordering. Prices shown are chrome finished for central heating models. Please see pages 162 & 163 for finishes and colour options.

BR

30

C

D

E

For electric element & valve options see pages 156 & 160



VL008

Regency II

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG036-BR	825	500	150	5	425	200	384 / 1310	1661	1026.00	1231.20	
LG036-BR	825	675	150	8	600	400	570 / 1945	2466	1096.00	1315.20	
LG036-BR	825	735	150	10	660	400	671 / 2289	2902	1143.00	1371.60	
OG009C-BR	825	500	160	5	425	200	384 / 1310	1661	1144.00	1372.80	
OG009B-BR	825	675	160	8	600	400	570 / 1945	2466	1212.00	1454.40	
OG009A-BR	825	735	160	10	660	400	671 / 2289	2902	1255.00	1506.00	

Regency Tall

Floor and Wall Mounted LG013-MS

Ideal for family bathrooms or a special en-suite. Mild steel manufactured framework with an integral white mild steel column radiator. Prices shown are chrome finished for central heating models.



LG013FW-MS

MS 15 C D E

For electric element & valve options see pages 156 & 160



VL008

Regency Tall WM MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG013WM-MS	1403	575	250	5	500	400	824 / 2811	3564	539.00	646.80	✓

Regency Tall FW MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG013FW-MS	1500	500	250	5	355	400	815 / 2781	3526	600.00	720.00	✓

The brass manufactured Regency Tall provides the luxury of a superior finish for the synonymous family bathroom of every year.

Regency Tall

Floor and Wall Mounted LG013-BR / OG007-BR



Brass manufactured framework with an integral white mild steel column radiator. Available in optional metallic and colour finishes. Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for central heating models. Element position advised at point of ordering.

BR

30

C

D

E

For electric element & valve options see pages 156 & 160



VL008


Regency Tall BR

Tube diameter Ø 31.8mm	Dimensions (mm)			Sections	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG013FW-BR	1500	500	250	5	343	400	738 / 2518	3193	1256.00	1507.20	
OG007FW-BR	1500	500	250	5	343	400	738 / 2518	3193	1423.00	1707.60	

Arcadia

Floor Mounted LG017 / OG017

Arcadia the classic war horse! A very British design which has stood the test of time. In brass or mild steel manufactured models, with plenty of towel hanging space.



LG Ball Joint

OG Ball Joint

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel -

Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel -

Chrome + £249.00 ex VAT
£298.80 inc VAT

Chromed to a mirror finish, other finishes are available, please see page 163.



Arcadia - MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
LG017-MS	850	598	233	7	453	2 x 75	439 / 1498	1899	567.00	680.40	✓



Arcadia - BR

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
LG017-BR	850	600	235	7	443	2 x 125	439 / 1498	1899	1238.00	1485.60	✗
OG017-BR	850	600	275	7	443	2 x 125	439 / 1498	1899	1518.00	1821.60	✗



For electric element & valve options see pages 156 & 160

VL008

Inspired by yesteryear. The Baroque uses a classical white mild steel column radiator within a handcrafted, chrome plated, brass framework. Superior heat output and towel hanging space are abundant in this imposing feature design.

Baroque

Floor Mounted LG014 / OG016



Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for central heating models.

BR

30

C

D

E

For electric element & valve options see pages 156 & 160

VL008

Baroque

Tube diameter	Dimensions (mm)			Sections	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
Ø 31.8mm											
LG014-BR	900	675	325	8	518	200 + 300	871 / 2972	3768	1622.00	1946.40	
OG016-BR	900	675	350	8	518	200 +300	871 / 2972	3768	1755.00	2106.00	

Ballerina

Floor and Wall Mounted LG024A-MS / LG021-MS

This Ballerina wall and floor mounted towel rail offered in a mild steel Legacy ball joint version as detailed on this page.



Mild Steel Metallic Finish
Supplements

Gold - POA

Bright Nickel -
Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel -
Chrome + £249.00 ex VAT
£298.80 inc VAT

Prices shown are chrome finished central heating models. The high quality brass versions (opposite) are available with Legacy or Originals Balljoint. The LG021-MS comes with added balljoints on the inlet connections to complement the style further.

- MS
- 15
- C
- D
- E

For electric element & valve options see pages 156 & 160



VL008

Ballerina MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG024A-MS	848	598	138	4	454	100	163 / 556	705	348.00	417.60	✓
LG021-MS	1549	598	138	5	454	150	310 / 1058	1342	388.00	465.60	✓

High quality brass, supremely durable for longevity.
The Ballerina wall and floor is available with your choice of Legacy or Originals ball joint.

Ballerina

Floor and Wall Mounted LG021 / LG024 / OG003



LG Ball Joint



OG Ball Joint

6 bar models are available to order



LG021H
5 Bars



LG021E
4 Bars



LG024A
3 Bars

Prices shown are chrome finished for all heating and hot water systems. Other finishes are available, please see page 163.



For electric element & valve options see pages 156 & 160



VL018

Ballerina BR

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG024C-BR	938	575	138	3	418	100	163 / 556	705	780.00	936.00	👉
LG024A-BR	938	675	138	3	518	125	195 / 665	843	798.00	957.60	👉
LG024B-BR	938	825	138	3	668	150	207 / 706	895	837.00	1004.40	👉
LG021A-BR	1238	525	138	4	368	125	239 / 815	1033	986.00	1183.20	👉
LG021E-BR	1238	675	138	4	518	150	266 / 908	1151	1003.00	1203.60	👉
LG021D-BR	1538	525	138	5	368	150	292 / 996	1263	1022.00	1226.40	👉
LG021H-BR	1538	675	138	5	518	150	327 / 1116	1415	1101.00	1321.20	👉
OG003A-BR	938	575	138	3	418	100	163 / 556	705	911.00	1093.20	👉
OG003B-BR	938	675	138	3	518	125	195 / 665	843	919.00	1102.80	👉
OG003C-BR	938	825	138	3	668	150	207 / 706	895	931.00	1117.20	👉
OG003D-BR	1238	525	138	4	368	125	239 / 815	1033	1069.00	1282.80	👉
OG003E-BR	1238	675	138	4	518	150	266 / 908	1151	1085.00	1302.00	👉
OG003F-BR	1538	525	138	5	368	125	292 / 996	1263	1209.00	1450.80	👉
OG003G-BR	1538	675	138	5	518	150	327 / 1116	1415	1228.00	1473.60	👉

Ballerina

Wall Mounted LG010A-MS

The Ballerina wall mounted towel rail is offered in a Legacy ball joint mild steel version, as detailed on this page.



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT
£213.60 inc VAT

Brushed Nickel - Chrome + £249.00 ex VAT
£298.80 inc VAT

Prices shown are chrome finished central heating models.
The high quality brass versions (opposite) are available with Legacy or Originals Balljoint.

- MS
- 15
- C
- D
- E

For electric element & valve options see pages 156 & 160

 VL008

Ballerina MS

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG010A-MS	748	498	124	4	424	100	169 / 577	732	363.00	435.60	✓

High quality brass, durable for longevity, the Ballerina is available with your choice of Legacy (as pictured) or Originals ball joint.

Ballerina

Wall Mounted LG025 / LG010 / LG021 / OG002



LG Ball Joint



OG Ball Joint



6 bar models are available to order

Prices shown are chrome finished for all heating and hot water systems. Other finishes are available, please see page 163.

BR

30

H

D

E

DL

For electric element & valve options see pages 156 & 160



VL018

Ballerina BR

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG025A-BR	675	675	125	3	600	100	167 / 570	723	739.00	886.80	
LG025B-BR	675	825	125	3	750	125	190 / 648	822	755.00	906.00	
LG010A-BR	750	500	125	4	425	100	169 / 577	732	816.00	979.20	
LG021B-BR	1275	525	125	4	450	125	239 / 815	1033	916.00	1099.20	
LG021F-BR	1275	675	125	4	600	150	266 / 908	1151	933.00	1119.60	
LG021C-BR	1575	525	125	5	450	125	292 / 996	1263	1095.00	1314.00	
LG021G-BR	1575	675	125	5	600	150	327 / 1116	1415	1115.00	1338.00	
OG002B-BR	675	675	135	3	600	100	167 / 570	723	830.00	996.00	
OG002C-BR	675	825	135	3	750	125	190 / 648	822	855.00	1026.00	
OG002D-BR	750	525	135	4	450	100	169 / 577	732	1008.00	1209.60	
OG002A-BR	1275	525	135	4	450	125	239 / 815	1033	1002.00	1202.40	
OG002E-BR	1275	675	135	4	600	150	266 / 908	1151	1017.00	1220.40	
OG002F-BR	1575	525	135	5	450	125	292 / 996	1263	1219.00	1462.80	
OG002G-BR	1575	675	135	5	600	150	327 / 1116	1415	1228.00	1473.60	

Grandeur

Floor and Wall Mounted LG032FW

Reflecting the quality and craftsmanship of a bygone age. Manufactured from our most robust 38mm diameter brass tube, this towel rail is of a timeless nature and would sit well in any traditional setting.



Image showing Antique Copper finish

Available in two heights to suit your requirements. Brass manufactured with a chrome finish as standard. Other finishes are available, please see page 163.

BR

30

H

D

E

DL

For electric element & valve options see pages 156 & 160

VL008

Grandeur

Tube diameter Ø 38.1mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG032FW	943	686	163	3	522	125	243 / 829	1051	1490.00	1788.00	
LG032FW	1243	686	163	4	522	200	319 / 1088	1380	1862.00	2234.40	

The wall mounted Grandeur provides ample warm towel hanging space. With classic looks and robust traditional quality, this towel rail is made to outlive fashion! Brass manufactured with a chrome finish as standard.

Grandeur

Wall Mounted LG032WM



Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

- BR
- 30
- H
- D
- E
- DL
-

For electric element & valve options see pages 156 & 160

VL008

Tube diameter Ø 38.1mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG032WM	686	686	154	3	600	100	220 / 751	952	1565.00	1878.00	
LG032WM	1286	636	154	4	550	150	321 / 1095	1388	1906.00	2287.20	

Butler

Floor and Wall Mounted LG035 / OG004

This traditional design is tactile and sturdy, a centrepiece for a classically designed bathroom. Brass manufactured, shown with the Originals ball joint. Chrome finish as standard.



Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

BR

30

H

D

E

DL

For electric element & valve options see pages 156 & 160

VL008

Butler

Tube diameter Ø 31.8mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG035	940	75	488	4	268	100	156 / 532	675	832.00	998.40	
OG004	965	75	488	4	268	100	156 / 532	675	886.00	1063.20	

Small is always beautiful. The Hamlet is perfect for en suites and downstairs WCs where space is at a premium, but warm dry towels are still welcomed...

Hamlet

Wall Mounted LG037 / OG001



Image showing Antique Bronze finish

Brass manufactured with a chrome finish as standard with Originals or Legacy ball joints. Bespoke finishes are available at an additional cost, please see page 163 for other finishes.



LG Ball Joint

OG Ball Joint

BR

30

H

D

E

DL



VL008


For electric element & valve options see pages 156 & 160

Hamlet											
Tube diameter	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø 31.8mm	H	W	D								
LG037	235	575	125	2	500	50	79 / 270	342	527.00	632.40	👤
OG001	235	575	135	2	500	50	79 / 270	342	587.00	704.40	👤

Elizabeth

Floor and Wall Mounted LG003 / OG019

With sculptured lines and quality ball joints the Elizabeth has a twist on tradition. Brass or Mild Steel manufactured models Chrome finished as standard.



Bespoke finishes are available at an additional cost, please see page 163 for other finishes.



Elizabeth - MS

Tube diameter Ø 31.8 + 25 + 19mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG003-MS	963	673	168	8	528	125	290 / 989	1254	346.00	415.20	✓



Elizabeth - BR

Tube diameter Ø 31.8 + 25.4mm	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG003A	938	675	138	7	518	150	290 / 989	1254	971.00	1165.20	👤
LG003B	938	825	138	7	668	150	372 / 1269	1609	1002.00	1202.40	👤
OG019A	938	675	138	7	518	150	290 / 989	1254	1084.00	1300.80	👤
OG019B	938	825	138	7	668	150	372 / 1269	1609	1114.00	1336.80	👤



For electric element & valve options see pages 156 & 160

The wall mounted Elizabeth is available in two widths with your choice of Legacy (as this page) or Originals ball joints. Chrome finished as standard.

Elizabeth

Wall Mounted LG003 / OG019



Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160

VL008

Elizabeth BR

Tube diameter Ø 31.8 + 25.4mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG003D	740	675	125	7	600	125	290 / 989	1254	995.00	1194.00	
LG003E	740	825	125	7	750	150	372 / 1269	1609	1028.00	1233.60	
OG019D	740	675	135	7	600	125	290 / 989	1254	1106.00	1327.20	
OG019E	740	825	135	7	750	150	372 / 1269	1609	1136.00	1363.20	

Art Moderne

Floor and Wall Mounted OG011

Deco decadence in a nutshell...
 High quality hexagonal brass tube manufacture, crafted to a gleaming finish.
 Available in two sizes and chrome finish as standard.



Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160


 VL008


Art Moderne

Tube diameter Ø 32mm HEX	Dimensions (mm)			Bar config	Face to Face connections	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
OG011B	943	600	175	3	428	100	197 / 672	852	944.00	1132.80	
OG011A	1543	550	168	5	378	125	318 / 1085	1376	1128.00	1353.60	

Perfect for any bathroom with Deco sanitary and brassware, this ever popular style never fades. The wall mounted Art Moderne is available in three different sizes to suit your room. Brass manufactured with a chrome finish as standard.

Art Moderne

Wall Mounted OG010



Art Moderne
Corner Joint

Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160

VL008

Art Moderne

Tube diameter Ø 32mm HEX	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
OG010A	836	550	145	4	450	100	211 / 720	913	989.00	1186.80	
OG010B	836	700	145	4	600	125	247 / 843	1069	1015.00	1218.00	
OG010C	986	700	145	4	600	125	263 / 897	1137	1032.00	1238.40	

Art Moderne II

Wall Mounted OG021

Quality hexagonal brass tube meets a practical brass multirail for an elegant look. Chrome finished as standard. Bespoke finishes are available at an additional cost, please see page 163 for other finishes.



Unique Art Moderne joint with hexagonal upright and round horizontals



- BR
- 30
- H
- D
- E
-

For electric element & valve options see pages 156 & 160



VL008

Art Moderne II

Tube diameter Ø 32 HEX + 25.4mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
OG021	700	532	83 - 106	7-7	500	125	354 / 1208	1532	973.00	1167.60	
OG021	1000	482	83 - 106	6-6-6	450	150	429 / 1464	1856	1072.00	1286.40	
OG021	1200	482	83 - 106	5-5-5-5	450	200	487 / 1662	2107	1182.00	1418.40	

This characterful robustly British towel warmer hails quality and craftsmanship. Made for you with your choice of the Legacy or Originals ball joint (pictured). Brass manufactured with a chrome finish as standard.

Penthouse

Wall Mounted LG018 / OG020



Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160

VL018

Tube diameter 31.8 + 25.4mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG018	1100	550	100	20	500	200	532 / 1815	2301	1385.00	1662.00	
OG020	1100	550	100	18	500	200	493 / 1682	2133	1544.00	1852.80	

Colonnade IV

Wall Mounted LG023

The distinguished design features both rope and reed tubing providing a stand-out product. Manufactured from high quality brass with a chrome finish as standard. Bespoke finishes are available at an additional cost.





- BR
- 30
- H
- D
- E
- DL
- 

For electric element & valve options see pages 156 & 160



VL008

Colonnade IV

Tube diameter Ø 25.4mm	Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
LG023A	775	475	125	4	400	100	169 / 577	732	890.00	1068.00	
LG023B	775	575	125	4	500	100	190 / 648	822	953.00	1143.60	

This chrome finished brass tubed simple design with Legacy ball joints would sit happily in either a traditional or more contemporary setting. Bespoke finishes are available at an additional cost, please see page 163 for other finishes.

Vintage

Wall Mounted LG010B



Prices shown are for chrome finished models.

BR

30

H

D

E

For electric element & valve options see pages 156 & 160



Vintage		Dimensions (mm)			Bar config	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Tube diameter		H	W	D								
Ø 31.8mm												
LG010B		750	475	105	4	400	100	169 / 577	732	570.00	684.00	✓

Nexus Grand III

Wall Mounted TM003

When combinations are right, something good happens! This towel rail has a great heat output from a twin column radiator inset. It is skillfully combined in a brass framework and chrome plated.



The two column radiator inset comes in white as standard, other colours can be specified at an additional cost. Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for central heating models.

- BR
- 30
- C
- D
- E
-

For electric element & valve options see pages 156 & 160

VL008

Tube diameter		Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Ø 25.4 + 15mm		H	W	D								
TM003		900	525	142 - 160	8	500	400	726 / 2477	3141	915.00	1098.00	

This single curved bar version is a more modern take on the traditional. With the same great heat output and high quality manufacture. The mild steel two column radiator inset comes in white as standard, other colours can be specified at an additional cost.

Nexus Grand IV

Wall Mounted TM004



Quality brass manufactured framework. Please see pages 162 & 163 for finishes and colour options.
Prices shown are chrome finished for central heating models.

BR

30

C

D

E

For electric element & valve options see pages 156 & 160

VL008

Nexus Grand IV

Tube diameter Ø 25.4 + 22mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TM004	900	590	214 - 232	8	500	400	699 / 2385	3024	921.00	1105.20	

Sequel III

Wall Mounted TM005

The Sequel III is manufactured from high quality brass, with a three column mild steel inset radiator, which comes in white as standard, other colours can be specified at an additional cost. Curved hanging bars give a modern edge to this traditional style.



Please see pages 162 & 163 for finishes and colour options. Prices shown are chrome finished for central heating models.

- BR
- 30
- C
- D
- E
-

For electric element & valve options see pages 156 & 160



Sequel III

Tube diameter Ø 25.4 + 15mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TM005	1000	550	182-200	5	475	400	741 / 2528	3206	1089.00	1306.80	

The Sequel V has Legacy ball joints and emits a fine traditional sense of style. With brass manufactured framework and a white three column mild steel integral radiator it produces a high heat output. Other radiator colours can be specified.

Sequel V

Wall Mounted TM006



Prices shown are chrome finished for central heating models. Please see pages 162 & 163 for finishes and colour options.

BR

30

C

D

E

For electric element & valve options see pages 156 & 160



Sequel V

Tube diameter Ø 25.4mm	Dimensions (mm)			Sections	Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D								
TM006	1000	525	191-209	5	475	400	716 / 2443	3098	1055.00	1266.00	

Basin Stands

Floor and Wall Mounted





Kensington BSS004
As pictured with nickel finish (left)



Mayfair BSS003
To suit rounded basins



Chelsea BSS006
Pictured heated and wall mounted




City BSS007
Wall mounted with Art Linea joints

Heated or Unheated Basin Stands


Vogue have developed a range of handcrafted brass basin stands produced to order. The styles illustrated can be altered to suit your exact requirements with your choice of metallic finish. Other finishes are available, please see page 163.

Please contact us for further information and a specific quotation.


Richmond BSS001



Linea Richmond BSS002



Belgravia BSS005



Shower Curtain Rails


Wall Mounted

Complement Your Bathroom...

Our handmade range of shower curtain rails are beautifully engineered from high quality brass tubing for longevity. As standard they are finished in chrome. Please talk to us if you require other metal finishes or non standard sizes. Other finishes are available, please see page 163.




Oval Ceiling Mounted SCR 1

Ø 25.4mm




Single Ended Oval Wall and Ceiling Mounted SCR 2

Ø 25.4mm




Straight Wall Mounted SCR 3

Ø 31.8mm




Curved Corner Wall Mounted SCR 4
 Ø 25.4mm



Circular Ceiling Mounted SCR 5
 Ø 25.4mm



Right Angle Wall Mounted SCR 6
 Ø 25.4mm



Shower Curtain Rail

	Dimensions (mm)			Description	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D				
SCR 1.1	325	1275	625	Oval shape mounted to ceiling	515.00	618.00	👉
SCR 1.2	325	1625	625	Oval shape mounted to ceiling	530.00	636.00	👉
SCR 2.1	338	1238	675	Single ended oval shape mounted to wall and ceiling	503.00	603.60	👉
SCR 2.2	338	1538	675	Single ended oval shape mounted to wall and ceiling	553.00	663.60	👉
SCR 3.1	75	1700	75	Straight wall mounted bar	310.00	372.00	👉
SCR 3.2	75	2000	75	Straight wall mounted bar	350.00	420.00	👉
SCR 4.1	75	938	938	Round curve for corner applications	340.00	408.00	👉
SCR 4.2	75	1238	1238	Round curve for corner applications	365.00	438.00	👉
SCR 5.1	75	775dia	827	Circular wall mounted	320.00	384.00	👉
SCR 5.2	75	925dia	977	Circular wall mounted	350.00	420.00	👉
SCR 6.1	75	938	638	Right angled curve for corner applications	330.00	396.00	👉
SCR 6.2	75	1238	638	Right angled curve for corner applications	359.00	430.80	👉
SCR 6.3	75	1538	638	Right angled curve for corner applications	390.00	468.00	👉



Images showing our Serenade DR008 in Black
See page 125



Designer Radiators

Looking for a real statement piece?
Our exclusive designer radiators are constantly
leading the trend in interior design. Created by some
of the UK's most celebrated interior designers, they
are guaranteed to turn heads.



Suave

Wall Mounted MD056

The Suave has a strong, minimalist design, ideal for more contemporary properties. Manufactured in high quality mild steel and finished in anthracite or white. Please see page 162 for colour options.



Optional Accessory

Towel Bar - Chrome
AC030 (443mm wide)
£124.00 ex VAT
£148.80 inc VAT

- MS
- 15
- C
- D
- E
-

For electric element & valve options see pages 144 & 148



Suave

	Dimensions (mm)			Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £		Stock or made to order
	H	W	D					Anthracite or White ex VAT	inc VAT	
MD056	1800	500	85-100	450	600	669 / 2283	2895	424.00	508.80	✓

The Suave II is a bold contemporary radiator. Manufactured in high quality mild steel and finished in anthracite or white. Please see page 162 for colour options.

Zest

Wall Mounted MD076



MS

15

C

D

E

For electric element & valve options see pages 144 & 148



	Dimensions (mm)			Pipe Centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £		Stock or made to order
	H	W	D					Anthracite or White ex VAT	inc VAT	
MD076	1800	500	85-100	451	600	667 / 2276	2886	489.00	586.80	✓

Kate

Wall Mounted DR019

A contemporary radiator with cylindrical uprights available in white. Manufactured from mild steel, suitable for closed heating systems and with a 15 year guarantee.

Optional Accessory



Towel Bar - Chrome or White
AC041 (375mm wide)
£48.00 ex VAT
£57.60 inc VAT



MS

15

C

For valve options see pages 148



Kate									
Tube diameter	Dimensions (mm)			End to End connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) White	Price £ (inc VAT) White	Stock or made to order
Ø 32 + 38mm	H	W	D						
DR019	1800	370	92-99	370	700 / 2388	3028	356.00	427.20	✓

A bold and clean lined tubular radiator. The Ordinate will integrate well into any room of the house. The radiator is chrome finished and available in four heights, the picture illustrates the tallest model. Available as single or double versions.

Ordinate

Wall Mounted MD005

Optional Accessories



Towel Bar - Chrome

AC023B (310mm wide)

£103.00 ex VAT

£123.60 inc VAT

AC023C (450mm wide)

£111.00 ex VAT

£117.66 inc VAT



Frosted Robe Hook

AC031

£37.00 ex VAT

£44.40 inc VAT



Image showing double version in Anthracite



Optional towel bars and robe hooks are available to give the Ordinate supreme function for bathrooms and kitchens.



For electric element & valve options see pages 156 & 160



VL003

Ordinate

Tube diameter Ø 22 + 32mm	Dimensions (mm)			Bar config	End to End connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D							
MD005	1000	362	115	8	362	229 / 781	990	180.00	216.00	✓
MD005	1000	452	115	10	454	287 / 979	1241	201.00	241.20	✓
MD005	1200	362	115	8	362	269 / 918	1164	212.00	254.40	✓
MD005	1200	452	115	10	454	337 / 1150	1458	236.00	283.20	✓
MD005	1600	362	115	8	362	350 / 1194	1514	255.00	306.00	✓
MD005	1600	452	115	10	454	437 / 1491	1891	283.00	339.60	✓
MD005	1800	362	115	8	362	390 / 1331	1688	307.00	368.40	✓
MD005	1800	452	115	10	454	487 / 1662	2107	341.00	409.20	✓

Ordinate Colours

Tube diameter Ø 22 + 32mm	Dimensions (mm)			Bar config	End to End connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ Anthracite		Price £ White Sparkle		Stock or made to order
	H	W	D					ex VAT	inc VAT	ex VAT	inc VAT	
MD005	1800	525	113-128	12	525	676 / 2305	2914	290.00	348.00	318.00	381.60	✓
MD005	1800	595	113-128	13	595	734 / 2504	3165	330.00	396.00	342.00	410.40	✓
MD005DP Double	1800	525	99	12 - 12	525	914 / 3119	3942	525.00	630.00	567.00	680.40	✓
MD005DP Double	1800	595	99	13- 13	595	992 / 3384	4277	589.00	706.80	629.00	754.80	✓

Vison

Wall Mounted DR022

A full length mirror built into a stylish tubular radiator makes Vision an asset in every room in your home. Manufactured from high quality mild steel and available in a Chrome, White or Anthracite finish to blend with any décor.



- MS
- 15
- C

For other valve options see page 160



Vision

Tube diameter Ø 32 + 25mm	Dimensions (mm)			End to End connections	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ (ex VAT) Chrome		Price £ (inc VAT) Anthracite or White		Stock or made to order
	H	W	D		Chrome	A & W	Chrome	A & W	ex VAT	inc VAT	ex VAT	inc VAT	
DR022	1800	600	104	600	473 / 1614	713 / 2433	2047	3085	490.00	588.00	454.00	544.80	✓

Serenade is a vertical contemporary design radiator, manufactured from high quality mild steel with finish options of chrome, textured matt black & white. Please see page 162 for colour options.

Serenade

Wall Mounted DR008



Optional Accessory

Towel Bar - White, Chrome or Black
 AC039A (266mm wide)
 AC039B (375mm wide)
 £41.00 ex VAT
 £49.20 inc VAT

Mild Steel Metallic Finish Supplements

Gold - POA
 Bright Nickel -
 Chrome + £178.00 ex VAT
 £213.60 inc VAT
 Brushed Nickel -
 Chrome + £249.00 ex VAT
 £298.80 inc VAT



VL014

MS

15

C



For other valve options see page 160

Serenade

Tube diameter 30sq + 40 x 10sq mm	Dimensions (mm)			Bar config	End to End connections	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ (ex VAT) Chrome		Price £ (inc VAT) Black or White		Stock or made to order
	H	W	D			chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	
DR008	1200	252	70	5	252	242 / 826	367 / 1252	1047	1588	243.00	291.60	187.00	224.40	✓
DR008	1200	358	70	7	358	339 / 1157	515 / 1757	1467	2228	280.00	336.00	210.00	252.00	✓
DR008	1800	252	70	5	252	351 / 1198	533 / 1819	1519	2306	287.00	344.40	227.00	272.40	✓
DR008	1800	358	70	7	358	491 / 1675	746 / 2545	2124	3227	435.00	522.00	270.00	324.00	✓

Fly Line Vertical

Wall Mounted DR003

Fly Line is a strong, minimalist design ideal for contemporary properties. These radiators come with a choice of single or double panel versions with the double panel offering an increased heat output.



Optional Accessory for single panel Vertical Fly Line

Towel Bar - Stainless Steel

AC032 - 450mm wide

£135.00 ex VAT £162.00 inc VAT



Showing double panel design Fly Line Vertical in white

Fly Line Vertical and Horizontal are available in a variety of size options and come as standard in white or anthracite. Please see page 162 for colour options, available on single panel versions only.





For other valve options see page 160



VL003

Fly Line Vertical

Tube diameter		Dimensions (mm)			No. of sections	End to End connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ Anthracite		Price £ White		Stock or made to order
		H	W	D					ex VAT	inc VAT	ex VAT	inc VAT	
38mm	70 x 11mm												
DR003 (single panel)		1800	224	71	3	224	402 / 1372	1740	182.00	218.40	180.00	216.00	✓
DR003 (single panel)		1800	376	71	5	376	670 / 2286	2899	248.00	297.60	246.00	295.20	✓
DR003 (single panel)		1800	528	71	7	528	938 / 3200	4058	315.00	378.00	312.00	374.40	✓
DR003 (single panel)		1800	680	71	9	680	1206 / 4115	5218	381.00	457.20	377.00	452.40	✓
DR003DP (double panel)		1800	224	71	3	224	627 / 2139	2712	287.00	344.40	285.00	342.00	✓
DR003DP (double panel)		1800	376	71	5	376	1045 / 3566	4522	418.00	501.60	416.00	499.20	✓
DR003DP (double panel)		1800	528	71	7	528	1463 / 4992	6330	549.00	658.80	546.00	655.20	✓
DR003DP (double panel)		1800	680	71	9	680	1881 / 6418	8138	679.00	814.80	676.00	811.20	✓

Fly Line Horizontal



Wall Mounted DR004



For other valve options see page 160




Fly Line Vertical

Tube diameter  38mm  70 x 11mm	Dimensions (mm)			No. of sections	Pipe centres	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ Anthracite		Price £ White		Stock or made to order
	H	W	D					ex VAT	inc VAT	ex VAT	inc VAT	
DR004 (single panel)	452	900	63	6	850	420 / 1433	1817	206.00	247.20	204.00	244.80	✓
DR004 (single panel)	452	1200	63	6	1150	552 / 1883	2388	233.00	279.60	231.00	277.20	✓
DR004 (single panel)	604	900	63	8	850	560 / 1911	2423	249.00	298.80	247.00	296.40	✓
DR004 (single panel)	604	1200	63	8	1150	736 / 2511	3184	284.00	340.80	282.00	338.40	✓
DR004DP (double panel)	452	900	112	6	850	654 / 2231	2829	348.00	417.60	346.00	415.20	✓
DR004DP (double panel)	452	1200	112	6	1150	858 / 2927	3711	396.00	475.20	394.00	472.80	✓
DR004DP (double panel)	604	900	112	8	850	872 / 2975	3772	436.00	523.20	434.00	520.80	✓
DR004DP (double panel)	604	1200	112	8	1150	1144 / 3903	4949	500.00	600.00	497.00	596.40	✓


Lure Single

Wall Mounted DR020

A statement piece that oozes sophistication and practical good looks, with a bank of closely fitting oval tubes to provide aesthetic appeal and efficient heat output. Available in chrome or white. Please see pages 150 for colour options.



- MS
- 15
- C
-

For other valve options see page 160  VL003

Lure Single

Tube diameter		Dimensions (mm)			Bar config	End to End connections	Output Δ T50°C Watts/BTU's		Output Δ T60°C BTU's		Price £ Chrome		Price £ White		Stock or made to order
		H	W	D			chrome	white	chrome	white	ex VAT	inc VAT	ex VAT	ex VAT	
32mm	25 x 50mm oval	1800	352	83	6	352	497 / 1696	751 / 2562	2151	3249	364.00	436.80	234.00	280.80	✓
DR020															

A modern designer radiator with twin rows of oval tubes for elegance and high output available in white or anthracite. Manufactured from mild steel, suitable for closed heating systems and with a 15 year guarantee.

Lure Double

Wall Mounted DR020DP



MS

15

C

For other valve options see page 160




Lure Double

Tube diameter		Dimensions (mm)			Bar config	End to End connections	Output Δ T50°C Watts/BTU's White or Anthracite	Output Δ T60°C BTU's White or Anthracite	Price £		Stock or made to order
		H	W	D					White or Anthracite ex VAT	ex VAT	
32mm	25 x 50mm oval	1800	352	105-110	6	352	2161 / 7373	9349	338.00	405.60	✓
DR020DP											

Astute Vertical Single

Wall Mounted DR035

Provides great efficiency, easy to install with its lightweight material. Has a low water content so has a quick heat up time. Available in white or anthracite.



Optional Accessory



Towel Bar - Chrome

AC066 (320mm wide)

£49.00 ex VAT

£58.80 inc VAT

AC066 (415mm wide)

£66.00 ex VAT

£79.20 inc VAT

AC066 (510mm wide)

£84.00 ex VAT

£100.80 inc VAT



VL003

AL

30

H

For other valve options see page 160

Astute Vertical Single

	Dimensions (mm)			Sections	End to End connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ White		Price £ Anthracite		Stock or made to order
	H	W	D					ex VAT	inc VAT	ex VAT	ex VAT	
DR035	1800	280	76.5	3	280	843/ 2876	3647	237.00	284.40	245.00	294.00	✓
DR035	1800	375	76.5	4	375	1124/ 3835	4863	291.00	349.20	301.00	361.20	✓
DR035	1800	470	76.5	5	470	1405/ 4794	6079	343.00	411.60	356.00	427.20	✓

Designed for the home, providing great efficiency.
Has a low water content, enabling a quick heat up
time. Available in white or anthracite.

Astute Vertical Double

Wall Mounted DR035DP



Optional Accessory



Towel Bar - Chrome

AC066DP (320mm wide)
£57.00 ex VAT
£68.40 inc VAT

AC066DP (415mm wide)
£77.00 ex VAT
£92.40 inc VAT

AC066DP (510mm wide)
£96.00 ex VAT
£115.20 inc VAT

AL 30 H

For other valve options see page 160



Astute Vertical Double

	Dimensions (mm)			Sections	End to End connections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ White		Price £ Anthracite		Stock or made to order
	H	W	D					ex VAT	inc VAT	ex VAT	ex VAT	
DR035DP	1800	278	117.5	3	278	1441/ 4915	6232	336.00	403.20	342.00	410.40	✓
DR035DP	1800	372	117.5	4	372	1916/ 6538	8290	415.00	498.00	425.00	510.00	✓
DR035DP	1800	466	117.5	5	466	2348/ 8010	10157	495.00	594.00	507.00	608.40	✓

Astute Horizontal Single

Wall Mounted DR036

Provides great efficiency, easy to install with its lightweight material. Available in white or anthracite.



For other valve options see page 160

VL003

Astute Horizontal Single

	Dimensions (mm)			Sections	End to End connections	Output $\Delta T50^{\circ}\text{C}$ Watts/BTU's	Output $\Delta T60^{\circ}\text{C}$ BTU's	Price £ White		Price £ Anthracite		Stock or made to order
	H	W	D					ex VAT	inc VAT	ex VAT	ex VAT	
DR036	600	565	76.5	6	565	653/2229	2826	224.00	268.00	230.00	276.00	✓
DR036	600	755	76.5	8	755	875/2986	3786	273.00	327.60	279.00	334.80	✓
DR036	600	945	76.5	10	945	1097/3742	4745	322.00	386.40	332.00	398.40	✓
DR036	600	1135	76.5	12	1135	1319/4499	5705	371.00	445.20	383.00	459.60	✓
DR036	600	1325	76.5	14	1325	1540/5256	6665	420.00	504.00	433.00	519.60	✓
DR036	600	1515	76.5	16	1515	1762/6012	7623	468.00	561.60	484.00	580.80	✓

Designed for the home, and has low water content, enabling a quick heat up time.
Available in white or anthracite.

Astute Horizontal Double

Wall Mounted DR036DP



AL 30 H D



For other valve options see page 160 VL003




Astute Horizontal Double

	Dimensions (mm)			Sections	End to End connections	Output $\Delta T50^{\circ}\text{C}$ Watts/BTU's	Output $\Delta T60^{\circ}\text{C}$ BTU's	Price £ White		Price £ Anthracite		Stock or made to order
	H	W	D					ex VAT	inc VAT	ex VAT	ex VAT	
DR036DP	600	560	117.5	6	560	1402/ 4783	6065	290.00	348.00	295.00	354.00	✓
DR036DP	600	748	117.5	8	748	1402/ 4784	6066	356.00	427.20	364.00	436.80	✓
DR036DP	600	936	117.5	10	936	1402/ 4785	6067	423.00	507.60	432.00	518.40	✓
DR036DP	600	1124	117.5	12	1124	1654/ 5644	7157	504.00	604.80	514.00	616.80	✓
DR036DP	600	1312	117.5	14	1312	1908/ 6510	8255	573.00	687.60	585.00	702.00	✓

Mode II

Wall or Floor Mounted CN027

Contemporary styling with sleek rounded tubes. Mode II has all the attributes of a great column radiator with edgy attitude. These wall hung radiators will complement many areas of the home. Available in white RAL 9016 and Metallic Anthracite as standard. Please see page 162 for colour options.



Optional Accessories

Towel Bar - White, Chrome or Anthracite
AC034A (60 x 200mm wide)
AC034B (60 x 340mm wide)
AC034C (60 x 480mm wide)
£51.00 ex VAT
£61.20 inc VAT



Feet - White or Anthracite
AC038
£24.00 ex VAT
£28.80 inc VAT



Metallic Anthracite option
(non-textured)



For other valve options see page 160



Mode II

	Dimensions (mm)			Number of Sections	Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) White or Anthracite	Price £ (inc VAT) White or Anthracite	Stock or made to order
	H	W	D						
CN027	450	507	90	7	398 / 1358	1722	197.00	236.40	✓
CN027	450	785	90	11	625 / 2133	2705	262.00	314.40	✓
CN027	450	993	90	14	796 / 2716	3444	383.00	459.60	✓
CN027	450	1202	90	17	966 / 3296	4179	463.00	555.60	✓
CN027	550	507	90	7	505 / 1723	2185	222.00	266.40	✓
CN027	550	785	90	11	793 / 2706	3431	296.00	355.20	✓
CN027	550	993	90	14	1009 / 3443	4366	434.00	520.80	✓
CN027	550	1202	90	17	1226 / 4183	5304	524.00	628.80	✓
CN027	1800	229	90	3	922 / 3146	3989	234.00	280.80	✓
CN027	1800	370	90	5	1538 / 5248	6654	347.00	416.40	✓
CN027	1800	507	90	7	2153 / 7346	9315	458.00	549.60	✓



Mode

Wall or Floor Mounted



Mode suits traditional properties, yet also looks great in contemporary settings. Available in a wide range of sizes, so you can choose a radiator which exactly suits your space and required heat output. The standard colour finish is white RAL 9016. Other RAL colours are available. Please see page 150 for other colour options. Subject to manufacturing tolerances. Please note, contemporary colours available on 2, 3 & 4 column only. Wall brackets are included, feet and other fixing accessories are detailed on the next pages. For other valve options see page 160

Standard Stock Sizes (opposite)

We stock 2, 3 and 4 column radiators. Heights range from 300mm great for under window sills, to a 1800mm tall version. There are many sizes in between.

Non Standard Sizes (next pages)

Non standard sizes include 5 and 6 columns ranging from 300mm - 2000mm high and detailed on the next pages. Non stocked and colour finish options have an eight week lead time.




VL004 Arne Thermostatic option



VL008

For other valve options see page 160



Mode

	Dimensions (mm)			Number of Sections	Output Δ T50°C	Output Δ T60°C	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
	H	W	D		Watts/BTU's	BTU's	White	White	
2 Column Radiators									
2C-050-10	500	460	68	10	371 / 1266	1605	187.00	224.40	✓
2C-050-18	500	812	68	18	688 / 2347	2976	290.00	348.00	✓
2C-050-22	500	988	68	22	817 / 2788	3535	342.00	410.40	✓
2C-060-10	600	460	68	10	440 / 1501	1903	194.00	232.80	✓
2C-060-14	600	636	68	14	616 / 2102	2665	247.00	296.40	✓
2C-060-18	600	812	68	18	792 / 2702	3426	299.00	358.80	✓
2C-060-22	600	988	68	22	968 / 3303	4188	352.00	422.40	✓
2C-060-24	600	1076	68	24	1056 / 3603	4569	383.00	459.60	✓
2C-060-28	600	1252	68	28	1232 / 4204	5331	436.00	523.20	✓
2C-180-6	1800	284	68	6	774 / 2641	3349	225.00	270.00	✓
2C-180-8	1800	372	68	8	1032 / 3521	4465	289.00	346.80	✓
2C-180-10	1800	460	68	10	1290 / 4401	5580	331.00	397.20	✓
2C-180-12	1800	548	68	12	1548 / 5282	6698	385.00	462.00	✓
3 Column Radiators									
3C-050-14	500	636	100	14	720 / 2457	3115	289.00	346.80	✓
3C-050-18	500	812	100	18	926 / 3160	4007	349.00	418.80	✓
3C-050-22	500	988	100	22	1131 / 3859	4893	411.00	493.20	✓
3C-050-24	500	1076	100	24	1234 / 4210	5338	445.00	534.00	✓
3C-050-28	500	1252	100	28	1440 / 4913	6230	508.00	609.60	✓
3C-060-10	600	460	100	10	609 / 2078	2635	236.00	283.20	✓
3C-060-14	600	636	100	14	852 / 2907	3686	302.00	362.40	✓
3C-060-18	600	812	100	18	1097 / 3743	4746	367.00	440.40	✓
3C-060-20	600	900	100	20	1218 / 4156	5270	400.00	480.00	✓
3C-060-24	600	1076	100	24	1462 / 4988	6325	467.00	560.40	✓
3C-060-30	600	1340	100	30	1827 / 6234	7905	566.00	679.20	✓
3C-075-10	750	460	100	10	750 / 2559	3245	267.00	320.40	✓
3C-075-14	750	636	100	14	1050 / 3583	4543	342.00	410.40	✓
3C-075-18	750	812	100	18	1350 / 4606	5840	419.00	502.80	✓
3C-075-22	750	988	100	22	1650 / 5630	7139	494.00	592.80	✓
3C-075-26	750	1164	100	26	1950 / 6653	8436	575.00	690.00	✓
3C-180-8	1800	372	100	8	1412 / 4818	6109	339.00	406.80	✓
3C-180-10	1800	460	100	10	1764 / 6019	7632	401.00	481.20	✓
3C-180-12	1800	548	100	12	2117 / 7223	9159	464.00	556.80	✓
4 Column Radiators									
4C-030-20	300	900	140	20	850 / 2900	3677	632.00	758.40	✓
4C-030-30	300	1340	140	30	1275 / 4350	5516	923.00	1107.60	✓
4C-060-14	600	636	140	14	1147 / 3914	4963	365.00	438.00	✓
4C-060-18	600	812	140	18	1475 / 5033	6382	452.00	542.40	✓
4C-060-20	600	900	140	20	1638 / 5589	7087	494.00	592.80	✓
4C-060-24	600	1076	140	24	1966 / 6708	8506	585.00	702.00	✓
4C-075-14	750	636	140	14	1417 / 4835	6131	425.00	510.00	✓
4C-075-18	750	812	140	18	1822 / 6217	7883	530.00	636.00	✓
4C-075-22	750	988	140	22	2227 / 7599	9636	635.00	762.00	✓
4C-075-26	750	1164	140	26	2632 / 8980	11387	743.00	891.60	✓

Mode


Bespoke


























































This service gives the opportunity to order non standard sizes. Choose from wall or floor standing. These radiators are supplied in white RAL 9016. Coloured finishes are available, please see the colour chart on page 150. Please note, contemporary colours available on 2, 3 & 4 column only. The lead time for delivery is approximately eight weeks. The sections cannot be joined on site. We only supply complete radiators, practical considerations need to be given to weight, carriage, handling and accessibility. Where necessary large radiators can be supplied in module format. Contact our sales office for further information.



VL003 For other valve options see page 160

Accessories for Mode Column Radiators		Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order	Calculations for Sizing a Radiator...
	Column Radiator Feet AC028	65.00 per pair	78.00 per pair	✓	<p>Required output is 1200 watts</p> <p>Space available is 1000 mm high x 750 mm wide. Approx radiator dimensions 900mm high x 600mm wide. (Taking into account space for valves)</p> <p>Number of sections possible</p> <p>Width (600mm) divide by 45mm per section + allowance for each side. 600 - 24 divided by 45 = 12 sections.</p> <p>Heat output per section</p> <p>Divide your required output by sections. 1200 watts divided by 12 = 100 watts per section.</p> <p>Selecting your radiator section</p> <p>4-750 @102 watts per section. Therefore 12 sections @102 per section = 1224 watts @ 50 degrees C delta T.</p> <p>Price calculation</p> <p>12 x £40.00 = £480.00 ex VAT Plus feet if floor standing and any other non standard support brackets you may require.</p> <p>Dimensions</p> <p>The nominal overall length of a radiator = number of section x 45mm = 24mm for reducing bushes (12mm each end). Subject to manufacturing tolerance of +/- 0.6mm per section.</p>
	Adjustable Feet AC024 Height from 90mm to 120mm. Must only be used with top retaining stay.	40.00 each	48.00 each	✓	
	Base Plate Cover AC025 For use with adjustable feet (above).	9.00 each	10.80 each	✓	
	Top Retaining Stay AC026 For use with adjustable feet.	14.00 each	16.80 each	✓	
	Standing Brackets For use with glass walls etc...	POA	POA	✋	
	Welded Feet (Increase height by 100mm) Up to 20 sections requires two feet 21 to 40 sections three feet 41 to 58 sections four feet	65.00 each	78.00 each	✋	

Mode Sections	Dimensions (mm)		Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT) White	Price £ (inc VAT) White	Stock or made to order
H	D						
2 Column Section							
2-300	300	68	24 / 82	104	28.00	33.60	
2-400	400	68	31 / 106	134	28.00	33.60	
2-500	500	68	37 / 126	160	28.00	33.60	
2-600	600	68	44 / 150	190	29.00	34.80	
2-750	750	68	55 / 188	238	29.00	34.80	
2-900	900	68	65 / 222	282	31.00	37.20	
2-1000	1000	68	72 / 246	312	34.00	40.80	
2-1200	1200	68	86 / 293	372	44.00	52.80	
2-1500	1500	68	108 / 369	468	55.00	66.00	
2-1800	1800	68	129 / 440	558	64.00	76.80	
2-2000	2000	68	144 / 491	623	83.00	99.60	
3 Column Section							
3-300	300	100	33 / 113	143	34.00	40.80	
3-400	400	100	42 / 143	181	32.00	38.40	
3-500	500	100	52 / 177	224	31.00	37.20	
3-600	600	100	61 / 208	264	32.00	38.40	
3-750	750	100	75 / 256	325	37.00	44.40	
3-900	900	100	90 / 307	389	43.00	51.60	
3-1000	1000	100	99 / 338	429	45.00	54.00	
3-1200	1200	100	118 / 403	511	58.00	69.60	
3-1500	1500	100	147 / 502	637	71.00	85.20	
3-1800	1800	100	177 / 604	766	84.00	100.80	
3-2000	2000	100	197 / 672	852	95.00	114.00	
4 Column Section							
4-300	300	140	43 / 147	186	37.00	44.40	
4-400	400	140	56 / 191	242	38.00	45.60	
4-500	500	140	69 / 235	298	39.00	46.80	
4-600	600	140	82 / 280	355	40.00	48.00	
4-750	750	140	102 / 348	441	40.00	48.00	
4-900	900	140	121 / 413	524	44.00	52.80	
4-1000	1000	140	134 / 457	579	50.00	60.00	
4-1200	1200	140	159 / 543	689	67.00	80.40	
4-1500	1500	140	197 / 672	852	89.00	106.80	
4-1800	1800	140	235 / 802	1017	107.00	128.40	
4-2000	2000	140	260 / 887	1125	119.00	142.80	
5 Column Section							
5-300	300	177	52 / 177	224	43.00	51.60	
5-400	400	177	68 / 232	294	44.00	52.80	
5-500	500	177	83 / 283	359	46.00	55.20	
5-600	600	177	98 / 334	424	47.00	56.40	
5-750	750	177	121 / 413	524	53.00	63.60	
5-900	900	177	143 / 488	619	59.00	70.80	
5-1000	1000	177	158 / 539	683	64.00	76.80	
5-1200	1200	177	188 / 641	813	82.00	98.40	
5-1500	1500	177	232 / 792	1004	108.00	129.60	
5-1800	1800	177	277 / 945	1198	129.00	154.80	
5-2000	2000	177	307 / 1048	1329	142.00	170.40	
6 Column Section							
6-300	300	215	63 / 215	273	50.00	60.00	
6-400	400	215	82 / 280	355	51.00	61.20	
6-500	500	215	101 / 345	437	53.00	63.60	
6-600	600	215	120 / 409	519	57.00	68.40	
6-750	750	215	148 / 505	640	64.00	76.80	
6-900	900	215	175 / 597	757	74.00	88.80	
6-1000	1000	215	193 / 659	836	80.00	96.00	
6-1200	1200	215	229 / 781	990	105.00	126.00	
6-1500	1500	215	282 / 962	1220	131.00	157.20	
6-1800	1800	215	334 / 1140	1446	156.00	187.20	
6-2000	2000	215	369 / 1259	1596	171.00	205.20	



Images showing our Eco ER001
See page 142

A modern, light-colored armchair with a textured, woven pillow is positioned against a dark, textured wall. The chair has dark, tapered legs. A small, square, dark-colored wall radiator is visible on the wall to the left of the chair. The scene is dimly lit, with a warm, ambient glow.

Electric Radiators

Designed to work in places where it's just not practical for your central heating system to go, our electric radiators are a stylish solution for any space. Plus they have all our hallmark design and quality craftsmanship.

Eco

Wall Mounted ER001

Eco is a cost effective electric radiator which allows you to control room temperature. It also has an integral economy function and frost protection. Electrical components are covered by a two year warranty.



MS

15

E

Eco (IP24)

	Dimensions (mm)			Number of sections	Power wattage	Price £ (ex VAT) White	Price £ (inc VAT) White	Stock or made to order
	H	W	D					
ER001	580	390	80	4	500	322.00	386.40	👉
ER001	580	550	80	6	750	409.00	490.80	👉
ER001	580	710	80	8	1000	481.00	577.20	👉
ER001	580	790	80	9	1250	512.00	614.40	👉
ER001	580	950	80	11	1500	574.00	688.80	👉

A sleek unit with digital programmable technology. The programmer can be safety locked to avoid accidental alterations. Stromboli has a comfort, economy and frost protection settings, great for houses unoccupied for weeks at a time.

Stromboli

Wall Mounted ER002



Electrical components are covered by a two year warranty.

- MS
- 15
- E

Stromboli (IP20)

	Dimensions (mm)			Number of sections	Power wattage	Price £ (ex VAT) White	Price £ (inc VAT) White	Stock or made to order
	H	W	D					
ER002	580	470	100	4	500	625.00	750.00	👉
ER002	580	630	100	6	750	709.00	850.80	👉
ER002	580	790	100	8	1000	713.00	855.60	👉
ER002	580	870	100	9	1250	797.00	956.40	👉
ER002	580	1030	100	11	1500	920.00	1104.00	👉

Mode Electric

Wall or Floor Mounted

The Mode electric radiator complements traditional and contemporary interiors to a tee. Manufactured from mild steel, supplied as standard in a white RAL 9016 powder coated finish. Most RAL colours are available as a special order.



Available in seven stock sizes. Please allow 2 - 3 weeks for delivery of the wall mounted and 4 - 6 weeks for the floor mounted with welded feet. Bespoke sizes can be arranged. Electrical components are covered by a two year warranty.

Electric Controls

- White as standard.
- Matt chrome finish is available.
- Temperature control between 10°C and 65°C.
- Led power indicator with frost protection.



Image showing welded feet

Mode

	Dimensions (mm)			Number of sections	Power wattage	Price £ (ex VAT) White		Price £ (inc VAT) White		Stock or made to order
	H	W	D			Wall	Floor	Wall	Floor	
2C-1800-12E	1802	598	63	12	1500	727.00	823.00	872.40	987.60	✓
3C-0600-10E	602	510	101	10	900	508.00	605.00	609.60	726.00	✓
3C-0600-14E	602	686	101	14	1200	578.00	675.00	693.60	810.00	✓
3C-0600-20E	602	950	101	20	1500	683.00	780.00	819.60	936.00	✓
4C-0600-18E	602	862	139	18	1500	691.00	787.00	829.20	944.40	✓
4C-0300-30E	302	1390	139	30	1500	987.00	1133.00	1184.40	1359.60	✓
4C-0600-24E	602	1126	139	24	2000	812.00	958.00	974.40	1149.60	✓

The Comby Dryer is the best of both worlds; it dries towels and clothes quickly, whilst heating the bathroom at the same time. Practical and energy saving, the Comby Dryer has three programs to set. Allowing activation of the towel rail in the morning, evening or both.

Comby Dryer

Wall Mounted MD082



Image showing chrome version

By simply adjusting the air guide panel to a suitable position, hot air is also able to be directed to where it is needed most. It also features a “Boost” button on the control panel, enabling more widespread ventilation to be achieved.

MS

15

E

* The first value refers to the towel warmer; the second to the blower

Comby Dryer

Tube diameter Ø 23 + 31 x 40mm D Section	Dimensions (mm)			Bar config	*Output Δ T50°C Watts/BTU's	Output Δ T60°C BTU's	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
	H	W	D						
MD082 White	1441	500	94-126	7-4-11	750 + 1000* / 5971	7571	667.00	800.40	✓
MD082 Chrome	1441	500	94-126	7-4-11	500 + 1000* / 5118	6490	1125.00	1350.00	✓

Comfort

Wall Mounted EL028

Comfort is ideal for compact situations. It is electric only and is manufactured in high quality mild steel, chromed to a mirror finish. Electrical components are covered by our two year warranty. Has a rating of IP55.



Detail shot to show angled bars

- MS
- 15
- E


Comfort

	Dimensions (mm)			Power wattage	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
	H	W	D				
EL028	719	545	103	120	217.00	260.40	✓

Uncomplicated and chic. The linear styling of Simplicity adds a sense of sophistication to any room. Slimline and discreet it provides the comfort of warm fluffy towels or bathrobes. This is electric drylined only.

Simplicity II

Wall Mounted EL040 / EL045



Manufactured in high quality stainless steel. Electrical components are covered by our two year warranty. IP44 when installed as per installation instructions.

SS 2 E



Delivered complete, no cover shroud necessary.

Simplicity II

	Dimensions (mm)	Description	Power W	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
	H					
EL040 Round	1100	Round tube 30mm Ø	28-30	232.00	278.40	✓
EL040 Round	1500	Round tube 30mm Ø	42-44	254.00	304.80	✓
EL040 Round	1800	Round tube 30mm Ø	52-55	295.00	354.00	✓
EL045 Cube	1100	Square tube 30 x 30mm	33-35	290.00	348.00	✓
EL045 Cube	1500	Square tube 30 x 30mm	49-52	319.00	382.80	✓
EL045 Cube	1800	Square tube 30 x 30mm	64-68	361.00	433.20	✓

Envirovent

SILENT Design 100

- Silent elastic blocks
- Sealed for life ball bearings
- Back draught shutter and airflow guide vanes
- High performance and quality
- Incredibly silent running
- Energy efficient
- 8 Watts / 230 Volts
- IP45 rated



A range of 100mm domestic axial extract fans for wall or ceiling installations, designed to solve ventilation problems in WC's and bathrooms. Fitted with motors mounted on silent elastic blocks, the fans deliver incredibly silent running and exceptional performance and stylish design.

ECO dMEV

- Up to 6 adjustable trickle speed settings
- Timer, humidity sensor and pull cord models
- Complies with Building Regulations. Part F for system 3 Continuous Mechanical Extract
- SAP Appendix Q eligible achieving a low specific fan power of 0.28 W/l/s
- Incredibly silent running - Below 20 dB(A)
- One fan for all situations, both walls and ceilings
- Low Energy DC 1.5 Watts - Low voltage version available
- 4 Interchangeable front panel trims



The ECO dMEV has been designed and developed to offer the market a constant volume, continuously running, decentralised extract fan for the lowest power consumption, the lowest noise and lowest lifecycle costs.

SILENT MV

- Sound absorbent insulation
- Incredibly silent running
- 360° rotating connection box
- Sealed for life ball bearings
- Fitted with a two speed motor
- Complies with building regulations
- High performance with flexible location
- Easy installation and maintenance
- IP44 rated



The SILENT MV fan range offers one of the most versatile fan systems on the market today. Due to its flexibility it can be used in a multitude of small and medium fan installations. Especially advantageous in applications where the system may be running for long periods throughout the day, the acoustic benefits of the SILENT MV fans ensure that optimum comfort is achieved without the disturbance of noisy ventilation systems.

SILENT 100

- Also available in silver on silent elastic blocks
- Sealed for life ball bearings
- Back draught shutter and airflow guide vanes
- High performance and quality
- Incredibly silent running
- Significant energy savings
- 8 Watts / 230 Volts or 13 Watts / 12 Volts options
- IP45 / IP57 SELV version



100mm domestic axial extract fans for wall or ceiling installations. Designed to solve ventilation problems in WC's and bathrooms. Fitted to motors mounted on silent elastic blocks, fans are incredibly silent running and exceptional performance.

Optional Kits



ENV-WALL KIT



ENV-CEILING KIT



ENV-SOFIT KIT



ENV-3M FLEX



ENV-6M FLEX

Other fans and accessories available on request

Fan	Description	Airflow rates l/s (m³/h)	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
-----	-------------	-----------------------------	---------------------	----------------------	---------------------------

Silent Design 100

SILDES100 S	White Standard Model	22 (85)	55.00	66.00	✓
SILDES100 SS	Silver Standard Model	22 (85)	76.00	91.20	✓
SILDES100 T	White Timer Model	22 (85)	91.00	109.20	✓
SILDES100 TS	Silver Timer Model	22 (85)	104.00	124.80	✓
SILDES100 HT	White Adjustable Humidity Sensor Model	22 (85)	160.00	192.00	✓
SILDES100 HTS	Silver Adjustable Humidity Sensor Model	22 (85)	175.00	210.00	✓

Eco dMEV

Eco dMEV S	Standard Model	18 (65)	198.00	237.60	✋
Eco dMEV T	Adjustable Run-On Timer Model	18 (65)	378.00	453.60	✋
Eco dMEV HT	Adjustable Humidity Sensor and Timer Model	18 (65)	382.00	458.40	✋
Eco dMEV HTP	Pull Cord Adjustable Humidity Sensor and Timer Model	18 (65)	221.00	265.20	✋
Eco dMEV S SELV	Standard (SELV) Model	18 (65)	272.00	326.40	✋
Eco dMEV T SELV	Adjustable (SELV) Run-On Timer Model	18 (65)	278.00	333.60	✋
Eco dMEV HT SELV	Adjustable (SELV) Humidity Sensor and Timer Model	18 (65)	330.00	396.00	✋
Eco dMEV HTP SELV	Pull Cord Adjustable (SELV) Humidity Sensor and Timer Model	18 (65)	294.00	352.80	✋

Silent MV

SILMV 160100 S	Silent 2 speed in line fan	50 (80)	425.00	510.00	✓
SILMV 160100 T	Silent single speed inline fan with adjustable timer	50 (80)	486.00	583.20	✓
SILMV 250100 S	Silent 2 speed in line fan	50 (80)	274.00	328.80	✋
SILMV 250100 T	Silent single speed inline fan with adjustable timer	50 (80)	406.00	487.20	✋

Silent 100

Silent-100 S	Standard Model	26 (95)	56.00	67.20	✓
Silent-100 T	Adjustable Timer Model	26 (95)	85.00	102.00	✓
Silent-100 IT	Intelligent Timer Model	26 (95)	127.00	152.40	✋
Silent-100 HT	Adjustable Humidity Sensor Model	26 (95)	150.00	180.00	✓
Silent-100 PIR	PIR Model	26 (95)	286.00	343.20	✋
Silent-100S 12V	Standard Model (SELV)	26 (95)	301.00	361.20	✋
Silent-100 T 12V	Adjustable Timer Model (SELV)	26 (95)	302.00	362.40	✋
Silent-100 TP 12V	Adjustable Timer and Pullcord Model (SELV)	26 (95)	317.00	380.40	✋
Silent-100 P 'EV' (12V 50)	Pullcord (SELV)	26 (95)	219.00	262.80	✋
Silent-100 HTP 12V	Adjustable Timer, Humidity Sensor and Pullcord Model (SELV)	26 (95)	281.00	337.20	✋
Silent-100 SS SILVER	Silver Standard Model	26 (95)	82.00	98.40	✓
Silent-100 ST SILVER	Silver Adjustable Timer Model	26 (95)	113.00	135.60	✓

Optional Kits

ENV-WALL KIT	Wall Grill and pipe		30.00	36.00	✓
ENV-CEILING KIT	Ceiling Vent, 6M Flex and 2 flex ties		85.00	102.00	✓
ENV-SOFIT KIT	Wall grill, 3M Flex and 2 flex ties		36.00	43.20	✓
ENV-3M FLEX	3 metre flex 100 dia		7.00	8.40	✓
ENV-6M FLEX	6 metre flex 100 dia		12.00	14.40	✓

Electric Underfloor Heating

There is nothing that quite matches the comfort of warm feet when getting out of the bath or shower, especially in the cold winter months! Imagine stepping onto warm tiles controlled to the temperature you prefer.

Electric underfloor heating works by gently warming the mass of floor which in turn warms the rest of the room. Our underfloor heating kit is quick and easy to install. Ideally timed when you are fitting a new kitchen or bathroom. Electrical components are covered by a two year warranty.

The Underfloor Heating Kit Includes

- The correct size heating mat.
- Digital touch screen timer and thermostat.
- Floor sensor and floor sensor mounting pipe.
- Multimeter to check installation at every stage.
- Comprehensive installation manual and control card.



Putting You in Control...

The digital touch screen, completely programmable timer and thermostatic controller enables you to fully regulate the temperature and control when the heating is on or off. The manual override means at the touch of a button the temperature can be higher or lower to suit as and when it is needed.

- E
- 2 Warranty on the control
- 30 Warranty on the mat

EUFH

	Area Metre(s)	Rated Power Wattage per mat	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
EUFH150-01.0	1.0	150	133.00	159.60	✓
EUFH150-01.5	1.5	225	148.00	177.60	✓
EUFH150-02.0	2.0	300	158.00	189.60	✓
EUFH150-02.5	2.5	375	169.00	202.80	✓
EUFH150-03.0	3.0	450	183.00	219.60	✓
EUFH150-03.5	3.5	525	194.00	232.80	✓
EUFH150-04.0	4.0	600	206.00	247.20	✓
EUFH150-04.5	4.5	675	243.00	291.60	✓
EUFH150-05.0	5.0	750	252.00	302.40	✓
EUFH150-06.0	6.0	900	273.00	327.60	✓
EUFH150-07.0	7.0	1050	299.00	358.80	✓
EUFH150-08.0	8.0	1200	326.00	391.20	✓
EUFH150-09.0	9.0	1350	354.00	424.80	✓
EUFH150-10.0	10.0	1500	377.00	452.40	✓
EUFH150-12.0	12.0	1800	431.00	517.20	✓







Additions

For the perfect finishing touch, enhance and complement your towel rail or radiator with our collection of high quality accessories and additions. From timers to aroma oil dishes, the choice is all yours.

Electric Element Only prices



Standard Element

IP55 Suitable for zones 1 and 2 of the bathroom.

Each standard element contains an internal preset over the temperature switch and fail safe fuse. There is no thermostatic control although a suitably rated rheostat (CD-VR) will give thermal control when fitted into the electrical supply circuit.



Available as a summer kit for dual fuel options. See page 146 for tee piece AC003 £28.00 ex VAT £33.60 inc VAT

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE002	75w	51.00	61.20
EE002	100w	81.00	97.20
EE002	125w	82.00	98.40
EE002	150w	83.00	99.60
EE002	200w	85.00	102.00
EE002	300w	86.00	103.20
EE002	400w	87.00	104.40
EE002	600w	92.00	110.40



Heat Sensor Element

IPX5 suitable for zones 1 and 2 of the bathroom.

Five temperature settings ranging from 30°C to 60°C.

The device displays the temperature to which it is currently set and indicates the status of the heating cycle.



Optional accessory is the Heat Sensor Element Cover Shroud - AC040, to hide the cable - RRP £12.00 (ex VAT) each. See page 146

Can be used when depth from wall to centre is the maximum of 70mm.

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE006	200w	147.00	176.40
EE006	300w	155.00	186.00
EE006	400w	162.00	194.40
EE006	600w	171.00	205.20
EE006	800w	178.00	213.60
EE006	1000w	188.00	225.60



Electronique Element

IP66 Suitable for zones 1 and 2 of the bathroom.

The standard Electronique element is set to a constant surface temperature of 52°C, with no need for external controls. In the fully loaded towel warming mode it will act to reduce power and save running costs. In space heating mode it will increase the power to deliver background heat needed to the maximum of its rated capacity. A safe to touch system, with safety measures incorporated.



Available as a summer kit for dual fuel options. See page 146 for tee piece AC003 £28.00 ex VAT £33.60 inc VAT

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE001A	200w	189.00	226.80
EE001A	400w	199.00	238.80
EE001A	600w	212.00	254.40



Remote Controlled Heat Element

IPX4 suitable for zones 1 and 2 of the bathroom.

Negative Temperature Coefficient technology

7 day programmable element with remote control switches the towel rail on and off when you want, at the temperature you want.

Eco, boost and safety lock features included, and manual override allows you total flexibility when needed. Can be retro fitted to existing electric or dual fuel multirail towel warmers.

*Please note, Element only suitable for vertical installation



Available as a summer kit for dual fuel options. See page 146 for tee piece AC003 £28.00 ex VAT £33.60 inc VAT

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE005	300w	180.00	216.00
EE005	600w	183.00	219.60
EE005	900w	187.00	224.40



Contract Fixed Heat / LST Electronique Element

IP55 Suitable for zones 1 and 2 of the bathroom.

Fixed Heat is designed as an energy saving element to control temperature and consume only the correct amount of power required. It maintains your pre-set temperature whether the rail is in a cold bathroom empty or fully loaded with towels. Fixed Heat for LST (low surface temperature) of 43°C must be chosen to comply with LST legislation for use in public buildings, hospitals and care homes.

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE001C	200w	189.00	226.80
EE001C	400w	199.00	238.80
EE001C	600w	212.00	254.40

Heating Options



Standard Rail Option (H) and (C)



Multirail Option (H) and (C)

Heating Only Options

H

Is suitable for all heating and hot water systems. For connection to either direct (open) or indirect (closed) central heating systems.

C

Suitable for indirect (closed) central heating circuits only. It cannot be installed on an open circuit due to the product containing ferrous (steel) parts.



Standard Rail Option (E)



Multirail Option (E)

Electric Only Options

E

A completely independent unit requiring only a fused spur electric connection. Thermal transfer fluid is heated by an electric element within the towel rail.



Standard Rail Option (D)



Multirail Option (D)

Dual Fuel Options

D

The towel rail has the capability to run from a central heating circuit or an electric element. Handy in the summer months when the central heating is turned off.



Internal view



Rear external view

Electric Dryline Option

DL

Electric dryline technology, with the towel warmer not containing any fluids. The towel warmer is heated using a silicone heater cable, exiting the towel warmer via a 3 core cable. This can then be attached to a fuse spur. Only available on specific models, please contact our sales office on +44(0)1902 387000 for further details.POA.

Please Note:

When using the electric element only (ie; during summer), allowance must be made for thermal expansion within the product by having the 'return' radiator valve left partially open. The 'flow' radiator valve must be closed to prevent back flow through the system. Both valves should be opened and balanced when the central heating system is operative, (i.e. during winter).

Steel Rails - Must be installed in accordance with BS7593 where a corrosion inhibitor is used.

Brass Rails - Caution where water softener is installed, as this could cause dezincification (material is attacked ie. zinc eaten away by aggressive water).

Brass towel warmers are manufactured using dezincification resistant brass, however it should be understood that the term 'resistant' does not entirely preclude the possibility of dezincification occurring. If you intend to install the product on an open (DHW) circuit, make reference to your local water authority to ensure dezincification has not previously occurred. Towel warmers manufactured from brass tubing should not be installed on an open circuit if a water softener is present. Water analysis to determine the likelihood of dezincification is available at cost.

Models suitable for indirect (closed) circuits only cannot be installed on an open circuit due to the item containing ferrous (steel) parts. Product compatibility is the responsibility of the installer.

Fitted Electric & Dual Fuel pricing

This section contains a range of elements with price supplements for electric and dual fuel models. Please add the price of your element to the model you choose and we will build it for you.



Standard Element IP55 Code EE002

A benchmark element to suit each size of product.

E Electric Only £162.00 ex VAT - £194.40 inc VAT

D Dual Fuel £111.00* ex VAT - £133.20 inc VAT



Electronique Element IP66 Code EE001A

Maintains surface temperature of product to 52 °C.

E Electric Only £254.00 ex VAT - £304.80 inc VAT

D Dual Fuel £210.00* ex VAT - £252.00 inc VAT



Heat Sensor Element IPX5 Code EE006*

An electronic temperature sensor control.

E Electric Only £239.00 ex VAT - £286.80 inc VAT

D Dual Fuel £198.00* ex VAT - £237.60 inc VAT

*Optional cover shroud available AC040, See page 146



Remote Controlled Heat Element IPX4 Code EE005

NTC - Negative Temperature Coefficient technology. Remote controlled programmable element for adjustable temperature control.

E Electric Only £268.00 ex VAT - £321.60 inc VAT

D Dual Fuel £217.00* ex VAT - £260.40 inc VAT



Fixed Heat / LST Electronique Element IP55 Code EE001C

Ideal for LST applications where surface temperatures need to be guaranteed.

E Electric Only £254.00 ex VAT - £304.80 inc VAT

* Dual fuel models will also be supplied with a conversion tee where applicable. This can be used with VL013 valves for a multitrail. Alternatively to a conversion tee dual fuel valves VL015 can be used.

All the images of elements depict electric only versions. Dual fuel configurations may vary including element positioning. The appropriate standard versions will be supplied in all cases unless advised otherwise.

Electric towel warmers are filled with a glycol ethylene / water mix to strict guidelines. This improves the thermal transfer rate and acts as a corrosion inhibitor.

All electric and dual fuel towel warmers must be fitted by a qualified person.

The elements are fitted on the right hand side as standard. They can be left hand mounted on request, on certain rails only.

IP Rating and Bathroom Zones

This section contains information on electrical safety.

IEE Wiring Regulations have identified the following zones and IP ratings to ensure safety.



IP Zoning

ZONE 0	Inside the bath or shower. Any fitting here must be SELV (max 12v) and a minimum rating of IPX7. (Protection against immersion in water).
ZONE 1	Above the bath or shower to a height of 2.25m. A minimum rating of IPX4 is required * See note 1.
ZONE 2	The area stretching to 0.6m outside the bath or shower and above the bath or shower if over 2.25m. A minimum rating of IPX4 is required * See note 1.
OUTSIDE ZONES	Anywhere outside zones 0, 1, and 2. Where water jets are not used for cleaning purposes, the general rules BS7671 apply. * See note 1.

All final circuits require 30mA RCD protection.

- In zones 1 and 2 if there is a likelihood of water jets being used for cleaning purposes a minimum of IPX5 is required.
- Where ceiling heights exceed 2.25m, the zones are effectively up to 3m, beyond 3m the walls are out of scope.
- Basins are not covered, however they are usually considered zone 2.
- If the space underneath a bath cannot be accessed without tools that space is considered out of zone.
- Information contained on this page is for guidance only. Please refer to current IEE Regulations or a qualified electrician.

IP Rating Guide

The IP (ingress protection) rating given to an enclosure, states the degree of protection it offers by means of two digits. A summary of these are detailed below. For more information please see IEC 529: 1989 BSEN 65029:1992.

First Digit

Protection against solid foreign objects and access to hazardous parts.

At the lowest of seven levels is 0, this means no protection is offered. At the highest level 6, there shall be no entry of dust particles.

Second Digit

Protection against entrance of water on a progressive scale. At level 1 dripping water shall have no effect. at level 6 water from powerful jets against the enclosure shall have no effect.

The letter X can be used in place of the first digit or second digit to indicate that tests have not being carried out or are not applicable.

0		No protection.	0		No protection.
1		Protected against solid objects larger than 50mm e.g. accidental touch by hands.	1		Protected against vertically falling drops of water e.g. condensation.
2		Protected against solid objects larger than 12.5mm e.g. fingers.	2		Protected against direct sprays of water up to 15° from the vertical.
3		Protected against solid objects larger than 2.5mm e.g. tools and cables.	3		Protected against direct sprays of water up to 60° from the vertical.
4		Protected against solid objects larger than 1mm.	4		Protected against water splashed from all directions - limited ingress permitted.
5		Protected against dust (no harmful deposits).	5		Protected against low pressure jets of water from all directions - limited ingress permitted.
6		Totally protected against dust.	6		Protected against strong jets of water e.g. for use on ship decks - limited ingress permitted.
			7		Protected against the effects of temporary immersion in water between 150mm and 1m.
			8		Protected against continuous submersion at a specified depth.

IEC 529, bs en 60529 does not apply to any risk of explosion or conditions such as humidity, corrosive gases, fungi or vermin. In certain cases equipment designed to be mounted in an enclosure will contribute towards the stated IP rating (eg Push buttons mounted in an enclosure). Different parts of enclosures can have different degrees of protection and still conform to the standard (e.g. Enclosures with pre-drilled conduit entry). All information strictly for guidance only, please refer to regulations and manufacturers for information if you are in any doubt.

Accessories



AC001

Auto air vent.

Can only be fitted in manufactured products. Must be specified at point of order.



AC002

Ball vent.



AC003

Conversion tee for dual energy radiators.



AC004

Valve sleeves.



AC005

Connection tubes.

AC006

Street elbow connection tubes.

AC007

Electric element shroud covers. Shown as standard in chrome. Other finishes are available, please contact the sales office for a quote.



A



B



C



D



E



F



G



H

*Please be aware that some cover shrouds conceal the element block and cable but NOT the service nut. If unsure, please ask your Dealer for more information prior to ordering.



AC035

Blanking Plug with Aroma Oil Dish.

AC040

Heat Sensor Element Cover Shroud

Can be used when depth from wall to centre is the maximum of 70mm.



AC031

Clip on frosted sphere and chrome robe hook.



AC065

Universal chrome robe hook.

2

Product	Description	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
AC001	1/8" BSP M.I. Self sealing auto vent. All models are fitted with manual air vents. To be specified on order	24.00	28.80	✓
AC002	1/2" BSP M.I. Decorative air vent and plug	78.00	93.60	✓
AC003	Three point 1/2" BSP adaptor. For electric element and radiator valve link	28.00	33.60	✓
AC004	19 mm ø x 100 mm long, electroplated to match towel rail and valves	64.00	76.80	✓
AC005	15 mm ø x 150 mm long	28.00	33.60	✓
AC005	22 mm ø x 150 mm long	40.00	48.00	✓
AC006	15 mm ø x 150 mm long	45.00	54.00	✓
AC007A	Legacy ball joint	110.00	132.00	✓
AC007B	Contemporary	97.00	116.40	✓
AC007C	Mitred	97.00	116.40	✓
AC007D	Flexi (suitable for use with standard element only)	111.00	133.20	✓
AC007E	Preset (suitable for use with EE001c, EE005 & EE006)	97.00	116.40	✓
AC007F	Originals ball joint	126.00	151.20	✓
AC007G	Electronique (suitable for use with electronique element only)	97.00	116.40	✓
AC007H	Hexagonal	149.00	178.80	✓
AC035	Oil Aroma Blanking Plug	8.00	9.60	✓
AC040	Heat Sensor Element Cover Shroud	12.00	14.40	✓
AC031	Chrome and frosted sphere. Suitable for MD001, MD003, MD005 and MD034	37.00	44.40	✓
AC065	Universal Chrome robe hook. Suitable for MD062, MD063, MD001, MD002, MD006, MD003, MD004, MD034	11.00	13.20	✓

Accessories



AC012 Voltage Regulator

A manual controller to manage power consumption to your towel warmer.



AC013 7 Day Timer

This digital controller gives you the facility to pre plan when you will need your towel rail on and off.



AC014 Pattress Plate

Housing the wires from the towel rail element if no external controller is required.



AC034

Towel Bar for CN027



AC023

Clip on chrome towel bar in three widths.



AC030

Magnetic towel bar.



AC032

Stainless steel towel bar.




AC037

Pack of 2 Heavy Duty Hollow Wall Fixings



AC060

Air vent cap.



AC010

Round or square metal cover plates.



AC011

Arne straight or angled fixing kit.



AC011F

Crosshead angled fixing kit.

2

AC011A & AC011B ARE AVAILABLE IN OUR CONTEMPORARY COLOUR FINISHES POA.

Product	Description	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
AC010A	Round 15 mm internal diameter hinged cover plates	17.00	20.40	✓
AC010B	Square 15 mm internal diameter cover plates	17.00	20.40	✓
AC011A & AC011B	VL003 (pair) straight or angled valves with cover plates and connection tubes	81.00	97.20	✓
AC011F	VL008 (pair) angled valves with cover plates and connection tubes	100.00	120.00	✓
AC012	Chrome 75W - 400W (1 gang)	49.00	58.80	✓
AC012	Chrome 150W - 1000W (2 gang)	105.00	126.00	✓
AC013	Digital single channel programme timer (White)	101.00	121.20	✓
AC014	Covers 1 gang pattress box (Chrome)	30.00	36.00	✓
AC023B	Chrome 310 mm wide, suitable for MD001, MD005 and MD034	103.00	123.60	✓
AC023C	Chrome 405 mm wide, suitable for MD001, MD005 and MD034	111.00	133.20	✓
AC030	Chrome 443 mm wide, suitable for MD056	124.00	148.80	✓
AC032	Stainless steel 450 mm wide, suitable for DR003 and DR021	135.00	162.00	✓
AC034A	Towel Bar for CN027 - 60mm wide x 200mm wide Chrome, White or Anthracite	51.00	61.20	✓
AC034B	Towel Bar for CN027 - 60mm wide x 340mm wide Chrome, White or Anthracite	51.00	61.20	✓
AC034C	Towel Bar for CN027 - 60mm wide x 480mm wide Chrome, White or Anthracite	51.00	61.20	✓
AC037	Pack of 2 Heavy Duty Fixings	27.00	32.40	✓
AC060	Air Vent Cap (per pair)	5.00	6.00	✓

Valves



Arne VL003

A modern valve that works with many designs.
Available in our contemporary colour finishes.



Arne Thermostatic VL004

Controlling the heat of your
towel rail or radiator.



Xero VL012

This modern tap head style suits
many bathroom taps and fittings.



Piazza VL014

This cubed valve gives a great finish to
our square tube products.



Combination Kit VL013

A combination kit of VL003 straight and angles valves for
dual energy option, applicable for all multirail products.



Adapta VL001

A contemporary double angled
valve, almost not to be noticed.

Dual Fuel Valves VL015

For both central heating and electric dual fuel options.



The Contemporary Colour Arne VL003 valves



Mocha



Anthracite



White Sparkle



Satin Black



Latte



Grey Sparkle



Matt Black



Cappuccino



Espresso

2

*Arne VL003 valves are available in Chrome as standard or one of our Contemporary Colours as an option for the same price.

Valve	Description	Type	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Arne VL003	1/2" BSP X 15 mm	Straight	40.00*	48.00*	✓
Arne VL003	1/2" BSP X 15 mm	Angled	40.00*	48.00*	✓
Arne Thermostatic VL004	1/2" BSP X 15 mm thermostatic	Straight	62.00	74.40	✓
Arne Thermostatic VL004	1/2" BSP X 15 mm thermostatic	Angled	62.00	74.40	✓
Adapta VL001	1/2" BSP X 15 mm	Angled	60.00	72.00	✓
Xero VL012	1/2" BSP X 15 mm	Angled	43.00	51.60	✓
Piazza VL014	1/2" BSP X 15 mm	Angled	72.00	86.40	✓
Combination Kit VL013	1/2" BSP X 15 mm	Angled / Straight	49.00	58.80	✓
Dual Fuel VL015	1/2" BSP X 15 mm	Angled	41.00	49.20	✓



Art Deco VL006

These valves work well with the hexagonal tube deco designs.



Crosshead VL008

A valve that suits most traditional designs. Our benchmark.



Crosshead 2 VL018

A capstan style valve, which suits ball jointed products.



Excelsior VL010

Thermostatic, a substantial valve in a time honoured design.



Arne Corner VL023

A discreet contemporary valve that neatly aligns with your towel warmer.



Arne Corner Thermostatic VL024

Thermostatic version of our discreet corner valves.

2

Valve	Description	Type	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
Art Deco VL006	1/2" BSP X 15 mm	Angled	64.00	76.80	✓
Crosshead VL008	1/2" BSP X 15 mm	Straight	53.00	63.60	✓
Crosshead VL008	1/2" BSP X 15 mm	Angled	53.00	63.60	✓
Excelsior VL010	1/2" BSP X 15 mm thermostatic	Angled	157.00	188.40	✓
Crosshead 2 VL018	1/2" BSP X 15 mm	Angled	44.00	52.80	✓
Arne Corner VL023	1/2" BSP X 15 mm	Corner	48.00	57.60	✓
Arne Corner Thermostatic VL024	1/2" BSP X 15 mm thermostatic	Corner	72.00	86.40	✓

Straight Valves



Angled Valves



All valves are supplied as standard in a chrome finish. Other finishes are available.

Please Note: Designs may differ slightly when ordering in different finishes. Please contact our sales office on 01902 387000 to discuss your requirements.

www.vogueuk.co.uk | 161

Vogue UK Radiator Colours and finishes

The colours and finishes below are available on many of our ranges carrying the RAL colour symbol. The featured colours have a £224 supplement ex VAT on the white price. Other RAL colours are available POA.



Silver crackle



Copper crackle



Bronze crackle



RAL 1013



RAL 9001



RAL 1015



RAL 9010



RAL 9003



RAL 7035



RAL 7016



RAL 6005



RAL 5012



RAL 5015



RAL 5017



RAL 3020



RAL 3000



RAL 3002



RAL 9005



Vogue UK Radiator Colours - POA



RAL 1018



RAL 1028



RAL 2011



RAL 8023



RAL 8011



RAL 8017



RAL 7011



RAL 6018



RAL 6019



RAL 6027



RAL 5009



RAL 7040



RAL 4003



RAL 4005

RAL colours come in a gloss finish as standard, unless specified differently.

The RAL colours in this chart have been matched as closely as possible. The colour depends on the printing or your monitor. We suggest the official RAL colour chart gives the most accurate colour sample.

Vogue UK Contemporary Colour Range



White Sparkle



Grey Sparkle



Matt Black



Satin Black



Espresso



Anthracite



Latte



Cappuccino



Mocha

The contemporary colour range is available as a stocked item in three models Serene, Vela and Focus. White & Grey Sparkle, Latte, Cappuccino, Mocha and Anthracite have a textured finish, with Espresso and Satin Black being gloss. These finishes are also available on other ranges.

Vogue UK Metallic Finishes



Matt Gold
£ POA

Antique Gold
£ POA

Dark Gold
£ POA

*Polished Brass
Same price as
Polished Chrome

*Brushed Brass
Same price as
Polished Chrome

Melange
£ POA



Polished Chrome
£ - Standard

Brushed Chrome
£ chrome + 20%

Bright Nickel
£ Chrome + 10%

Brushed Nickel
£ Chrome + 20%

Polished Stainless
£ - Standard

Brushed Stainless
£ stainless + 20%



Antique Brass
£ POA

Antique Bronze
£ POA

Antique Copper
£ POA

Pewter
£ Chrome + 35%

The Vogue Rose Gold
£ POA

The Vogue Brushed
Rose Gold
£ POA



*Polished Copper tube
£ POA

Polished Copper Plate
£ POA

Brushed Copper Plate
£ POA

Please note : Polished Brass and Polished Copper tube finishes, are supplied in a raw, un-lacquered finish, as standard. This un-lacquered (ie; unprotected) base material will discolour in a short period of time and will therefore require regular cleaning in order to maintain the finish. To add a lacquer to preserve the finish, add an additional 20% to the un-lacquered price. Brushed Brass will be supplied as a lacquered finish only and subject to an additional 20% supplement charge on top of the chrome finish price.

Antique Bronze, Antique Brass & Antique Copper - Due to the reaction between the solution with the base metal there will always be a degree of natural variation in shading between different components.

Inset Radiator Range



Column



Convactor



Flat Panel

Joints & Tubing

Selecting your joint and tube design could not be more flexible.
 Our hand made selection of towel warmers can be as individual as you are.

Vogue UK Tubing Range



Rope

Reed

Plain

Hexagonal

Square

Vogue UK Joint Range



Ball Joint 1"



Legacy Ball Joint 1.25"



Originals Ball Joint




Charlotte Ball Joint 1.5"



Grandeur Joint



The 1909 Ball Joint



Cylinder Joint



Art Moderne Corner



Minama Square Corner



Romolo Joint



Art Linea Joint



Mitred Corner



Plain Corner



Contemporary Corner



Minama Round Corner



Valour Bend

General terms & conditions

Bespoke items are non-returnable. Please note that certain non-stock models are also non-returnable, please confirm with our Sales Office on telephone +44(0) 1902 387000.

All heat outputs are shown at 50°CΔt, in compliance with BSEN442 - Specification for Radiators and Convectors. To convert to 60°CΔt, multiply heat output by conversion factor 1.264 (approximate figure), to convert to 70°CΔt, multiply heat output by conversion factor 1.549 (approximate figure).

All measurements given are nominal dimensions only (mm), and are not binding. Detailed technical drawings are available on request from our Sales Office on +44(0) 1902 387000 or via our website - www.vogueuk.co.uk

Manufactured from hot brass stamped fittings and high quality brass tube complying to BS EN 12449:2016.

Some models manufactured from high grade CR steel tubing and/or containing steel components suitable for closed/indirect circuits only. All rails are pressure tested to 100p.s.i (6.9 bar) air immersed in water. All models are fitted with 2 x 1/2" BSP F.I. connections. Alternative M.I. or compression fitting is available on request. 3/4" BSP connections available at extra cost on some models.

A manual bleed air vent is fitted to all hot water/dual fuel models. Auto air vents available on request at additional cost.

Pipe centres are provided as centre to centre tappings using the Vogue (UK) range of valves.

In compliance with our policy of constant improvement we reserve the right to alter specifications, materials and dimensions or discontinue any of our products without prior notice.

The colours in the brochure are as accurate as the colour printing processes allow. Photographs for illustrative purposes only. We reserve the right to change specifications without prior notification.

Vogue (UK) Ltd recommends that existing or new pipework is not adjusted until the towel warmer or radiator is in its final position.

Products ordered incorrectly or where the specification has changed will incur a re-stock charge. Bespoke/custom made products are non-refundable. Upon the return of a product Vogue (UK) Ltd reserve the right to refuse credit if the product is not made available upon an agreed collection/return in line with the Company's terms and conditions. A copy of the Company's full Terms and Conditions of Trading is available on request.

Continual Improvement

Our company policy is one of continual improvement and Vogue (UK) Ltd reserves the right to amend designs, specification or discontinue any of our products without prior notice. E & OE

Valves are NOT supplied with each product. Please see Valves & Accessories section for further details.

All images are for illustration purposes only.

Tiles provided by British Ceramic Tile Ltd
www.britishceramictile.com

Guarantee

Vogue (UK) Ltd is a company that celebrates the wealth of traditional, quality handcrafted heated towel warmers and radiators and is one of the last true manufacturers in the UK. Vogue branded towel warmers installed within the UK are also covered by an extended 2, 15 or 30 Year Guarantee – subject to Terms & Conditions of guarantee against manufacturing defects. Components such as inset radiators, not of our manufacture, which become faulty by reason of defected materials, come with a 2 year guarantee only.



15 30 30



EN442.1 & 2



Where applicable product within this publication has undergone independent testing to verify heat outputs are in accordance with the parameters laid down in the above European standards. Some products at the time of print may be awaiting confirmation

Construction Product Regulations (CPR)

In compliance with the above, Vogue UK LTD (The company) holds declaration of Performance Certificates (DoPs) for all products covered by the Harmonised Standard EN442.1 / 2. Copies of relevant certificates are available on request.

Product with a declared heat output of 200Watt or less 50 degree C Delta T are not classified by The company as heating appliances and are therefore not covered by the above. All individually manufactured bespoke products are similarly exempted from the above legislation

ISO 9001:2015 certified

Vogue (UK) is proud to be ISO 9001: 2015 certified. Quality is utmost in importance to our organization, in both the products and services we provide our customers. Reflecting this commitment, Vogue (UK) implemented and received certification of our Quality Management System in accordance with ISO 9001:2015.

General

Carriage - Paid UK mainland, excluding requests for next day service, Export carriage can also be arranged. Please contact our Sales Office for details on telephone +44(0) 1902 387000.



Index

Model	Code	Material	Section	Style	Installaton	Page
A						
Accessories	AC		A	AC		158
Amie	CN065	MS	CN	MTW	WM	23
Aquila	DR016	MS	CN	DTW	WM	42
Arc	MD065	MS	CN	MTW	WM	39
Arcadia	LG017/OG017	MS/BR	TR	TTW	FM	92
Art Moderne	OG011	BR	TR	TTW	FW	104
Art Moderne	OG010	BR	TR	TTW	WM	105
Art Moderne II	OG021	BR	TR	MR	WM	106
Astute Horizontal Double	DR036DP	AL	DR	DR	WM	133
Astute Horizontal Single	DR036	AL	DR	DR	WM	132
Astute Towel Warmer	CN095	AL	CN	MTW	WM	65
Astute Vertical Double	DR035DP	AL	DR	DR	WM	131
Astute Vertical Single	DR035	AL	DR	DR	WM	130
Axis	MD062	MS	LR	MR	WM	68
B						
Ballerina	LG024A-MS/LG021-MS	MS	TR	TTW	FW	94
Ballerina	LG024/LG021/OG003	BR	TR	TTW	FW	95
Ballerina	LG010A-MS	MS	TR	TTW	WM	96
Ballerina	LG025/LG010/LG021/OG002	BR	TR	TTW	WM	97
Baroque	LG014/OG016	MS/BR	TR	TTW	FM	93
Basin Stands		BR	TR	TTW	FW/WM	114
Bathroom Zones			A			157
Binary	TR002	BR/MS	CN	S	WM	57
Boxa	CN009	MS/SS	CN	MTW	WM	38
Butler	LG035/OG004	BR	TR	TTW	FW	100
C						
Carina	MD051	MS	CN	S	WM	60
Chic	MD046	MS	CN	DTW	WM	24
Chorus	MD002	MS	LR	MR	WM	73
Chube	MD035	SS	LR	MR	WM	76
Colonnade IV	LG023	BR	TR	TTW	WM	108
Colour options			A			162
Combes	MD063	MS	LR	MR	WM	70
Comby	MD052	MS	CN	MR/S	WM	58
Comby Dryer	MD082	MS	E	MR/S	WM	145
Comfort	EL028	MS	E	ETW	WM	146
Concertina	DR010	MS	CN	DR/DTW	WM	12
Curvee	MD050	MS	CN	MR	WM	44
Cygnus	DR012	MS	CN	DR/DTW	WM	14
Cygnus Harmonique	DR032	MS	CN	RTW	WM	15
D						
Decor	MD084	MS	CN	MTW	WM	46
Décor Harmonique	MD094	MS	CN	RTW	WM	47
Draco	DR015	MS	CN	MTW	WM	16
E						
Eco	ER001	MS	E	ER	WM	142
Electric Element & Dual Fuel Fitted Pricing			A			156
Electric Elements - Standard	EE001/EE002/EE003/EE005/EE006		A	EL		154
Electric Under Floor Heating	EUFH		E	UFH		150
Elizabeth	LG003/OG019	MS/BR	TR	TTW	FW	102
Elizabeth	LG003/OG019	BR	TR	TTW	WM	103
Envirovent Electric Fans	SILD/ECO DMEV/SILM/SIL	N/A	E			148

Model	Code	Material	Section	Style	Installaton	Page
F						
Flexx	CN015	BR	CN	MTW	WM	18
Flyline Horizontal	DR004/DR004DP	MS	DR	FR	WM	127
Flyline Vertical	DR003/DR003DP	MS	DR	FR	WM	126
Focus	MD001	MS	LR	MR	WM	72
Focus Colour Range	MD001	MS	LR	MR	WM	75
Focus Horizontal	MD001	MS	LR	MR	WM	74
G						
Galaxy	MD059	SS	LR	MR	WM	78
Gallant	MD040	SS	CN	MR	WM	40
Gallant II	MD040	MS	CN	MR	WM	41
Grace	MD067	MS	CN	MTW	WM	20
Grandeur	LG032FW	BR	TR	TTW	FW	98
Grandeur	LG032WM	BR	TR	TTW	WM	99
H						
Hamlet	LG037/OG001	BR	TR	TTW	WM	101
Harmonique	MD060	MS	CN	RTW	WM	61
Harmonique Duo	MD090	MS	CN	RTW/S	WM	59
Heating Options			A			155
I						
Ideal	MD055	SS	CN	MTW	WM	37
Ieri	TM014-MS	MS	CN	S	WM	54
Ieri	TM014-BR	BR	CN	S	WM	55
Inttra	CN013	BR/MS	CN	MTW	WM	19
J						
Joints & Tubing			A			164
K						
Kate	DR019	MS	DR	DR/VT	WM	122
Kerve	MD036	SS	LR	MR	WM	77
Keys II	CN030	MS	CN	DTW	WM	25
L						
Lure Double	DR020DP	MS	DR	DR/VT	WM	129
Lure Double	DR020DP	MS	DR	DR/VT	WM	
Lure Single	DR020	MS	DR	DR/VT	WM	128
M						
Manttra IV	CN075	MS	CN	MTW	WM	21
Marine	DR009	MS	CN	DR/DTW	WM	13
Melody	MD004	MS	LR	MR	WM	81
Memo	CN007	MS	CN	MTW	WM	31
Metallic Finishes			A			163
Moda	CN001	MS	CN	RTW	WM	29
Mode Accessories	AC					138
Mode Bespoke	2C/3C/4C/5C/6C	MS	DR	CR	WM	138
Mode Column Radiator	2C/3C/4C	MS	DR	CR	WM	136
Mode Electric	2C/3C/4C	MS	E	CR	WM	144
Mode II	CN027	MS	DR	CR	WM	134
N						
Nexus Grand III	TM003	BR	TR	RTW	WM	110
Nexus Grand IV	TM004	BR	TR	RTW	WM	111
Nexus III	TM001	BR	CN	RTW	WM	62
Nexus IV	TM002	BR	CN	RTW	WM	63
O						
Ordinate	MD005	MS	DR	VT	WM	123

Model	Code	Material	Section	Style	Installaton	Page
P						
Pearl	MD058	SS	LR	MR	WM	79
Penthouse	LG018/OG020	BR	TR	MR	WM	107
Phoenix	DR017	MS	CN	DTW	WM	43
Pure	MD037	BR	CN	MTW	WM	22
Q						
Quadrat	MD074	MS	CN	MTW	WM	32
Quadrat Harmonique	MD078	MS	CN	RTW	WM	33
R						
Regency	LG004-MS	MS	TR	TTW	FW	86
Regency	LG004-BR/OG006-BR	BR	TR	TTW	FW	87
Regency	LG005/OG015	MS/BR	TR	TTW	WM	88
Regency II	LG036/OG009	BR	TR	TTW	WM	89
Regency Tall	LG013-MS	MS	TR	TTW	FW/WM	90
Regency Tall	LG013-BR/OG007-BR	MS	TR	TTW	FW/WM	91
Rubik	MD038	SS	CN	MTW	WM	34
S						
Sequel III	TM005	BR	TR	RTW	WM	112
Sequel V	TM006	BR	TR	RTW	WM	113
Serenade	DR008	MS	DR	FR	WM	125
Serene	MD049	MS	CN	MR	WM	36
Sesto Rondo III	MD021	BR	CN	MR	WM	17
Shower Curtain Rails	SCR1 - 6	BR	TR		WM	116
Simplicity II	EL040/EL045	SS	E	VT	WM	147
Simplicity IV	IVCN026	BR	CN	TTW	WM	53
Smooth	CN035	MS	CN	MTW	WM	26
Smooth II	CN036	MS	CN	MTW	WM	27
Solo	TR001	BR/MS	CN	S	WM	56
Squire	MD047	MS	CN	MR	WM	35
Stella	MD034	SS	LR	MR	WM	82
Stromboli	ER002	MS	E	ER	WM	143
Studio	MD006	BR	LR	MR	WM	83
Suave	MD056	MS	DR	FR	WM	120
T						
Tempo	MD072	MS	CN	MR	WM	64
Tune	MD003	MS	LR	MR	WM	80
U						
Unique	CN028	MS	CN	MTW	WM	48
V						
Valves	VL		A	VL		160
Vela	MD048	MS	CN	MR	WM	45
Venture	CN022	BR	CN	TTW	WM	49
Vintage	LG010B	BR	TR	TTW	WM	109
Vision	DR022	MS	DR	DR/VT	WM	124
Vista	IN002	SS	CN	MTW	WM	30
Vivid	CN021	BR	CN	TTW	WM	50
Vivid IV	IVCN021	BR	CN	TTW	WM	51
Vivid IV Horizontal	IVCN021	BR	CN	TTW	WM	52
Z						
Zenith	IN007	SS	CN	MTW	WM	28
Zest	MD076	MS	DR	FR	WM	121

Innovation

Vogue UK is a vibrant organisation with research being conducted in many technology disciplines. This research results in exciting products as evidenced throughout the design collections we offer. Vogue UK has set itself a clear objective: both through consistent preservation and long tradition of British craftsmanship and meeting its high standards, as well as creating, with its very own innovative heating developments, contemporary design and a heightened passion for detail and perfection.

Those who appreciate lasting value derived from the synergy of traditional craftsmanship, creative development and the latest technology, as well as dedication in seeking the extraordinary know not to entrust any towel rail design but rather to a design crafted from Vogue (UK).

Vogue UK emphasises its creative drive to differentiate its towel rail designs down to the finest detail and its desire to monitor, to the greatest possible extent, the development and manufacture of a hand crafted product. We use the latest technology to produce low-volume individual parts with high added value continuously offering home interiors and connoisseurs of design new, impressive towel rail models.

Environment

Vogue UK has a legacy of core values, rooted strongly in safety, health and environmental stewardship. For 30 years, we have been reducing the environmental footprint of our own operations. Today, footprint reduction is expected of all companies. The challenge – and the opportunity – are products and manufacturing processes that are safer, less toxic, more energy efficient, use less water, less energy, and produce fewer greenhouse gases. Running our company in an environmentally friendly way is good for the environment and good for our business. We're working to conserve energy and reduce waste and are exploring the use of sustainable materials and products. Whether we're saving costs by reducing energy consumption or creating covetable products through innovative, sustainable design, we believe that reducing our impact on the environment can also result in positive business benefits.

INDEX KEY

Material	Section	Installation
BR Brass	CN Contemporary	FM Floor Mounted
MS Mild Steel	LR Ladder Rails	WM Wall Mounted
SS Stainless Steel	TR Traditional	FW Floor and Wall Mounted
AL Aluminium	DR Designer Radiators	
CI Cast Iron	E Electric	
	A Additions	

Style	
C Column radiator	MTW Modern towel warmer
DR Designer radiator	RTW Radiator towel warmer
DTW Designer towel warmer	S Shelf
ER Electric radiator	TTW Traditional towel warmer
FR Flat Radiator	UFH Under floor heating
MR Multirail	VT Vertical tube



VOGUE UK
TOWEL WARMERS & RADIATORS

Vogue (UK) Ltd
Strawberry Lane
Willenhall, West Midlands
WV13 3RS United Kingdom

T: +44(0) 1902 387000 F: +44(0) 1902 387001
E: sales@vogueuk.co.uk W: www.vogueuk.co.uk